Regd No. 10914 of 1980

All India Society for Health Aid Education & Research
(A.S.H.A.)
Sector - 18A, Phase - 2, Dwarka, New Delhi - 110075

Ref. No. ..... Date. .....

Advisor
Ministry of Environment, Forests & Climate Change
Government of India
Regional Office (Central Region)
Kendriya Bhawan, 11th Floor, Sector H Aliganj,
Lucknow- 226024

Ref: Environmental Clearance No. DPCC/SEAC/174/SEIAA/74/2013 Dated 01.08.2014

Sub: Submission of Pointwise six-monthly compliance report for the Period of October-2025 to March-2026, submission due in June 2026, of the Environmental Conditions/Safeguards for the Project 250 Bedded "Venkateshwar Hospital", Sector-18A, Dwarka, New Delhi by All India Society for Health Aid Education & Research (A.S.H.A)

Dear Sir,

With reference to the submission of Point-wise for the Period from **October 2025 to March 2026, submission due in June 2026** of the Environmental Clearance obtained vide Environment Clearance Letter No. DPCC/SEAC/174/SEIAA/74/2013 dated 01.08.2014 for the project 200 Bedded "Venkateshwar Hospital", Sector-18A, Dwarka, New Delhi by All India Society for Health Aid Education & Research (A.S.H.A)

In this regard, as per the conditions laid down in the Environmental Clearance Letter, we are hereby submitting here with Six-monthly Compliance report for the period **October 2025 to March 2026, submission due in June 2026** along with all the requisite annexures as per the guidelines of the Ministry of Environment, Forest & Climate Change.

We hope that this will fulfill all the requirements.
Thanking you,

Yours faithfully,

For All India Society for Health Aid Education & Research (A.S.H.A)

(Authorized Signatory)
Name-
Mobile No.-
E-mail -


Copy to:
1. Senior Environment Engineer, Delhi Pollution Control Committee, 3rd Floor, Block-1, DMRC IT Park Building, Shastri Park, Delhi-110053

HALF-YEARLY COMPLIANCE REPORT OF STIPULATED ENVIRONMENTAL CLEARANCE CONDITIONS

Reporting Period: (October-2025 to March-2026)

June- 2026

'Venkateshwar Hospital'
(Environmental Clearance vide letter no. DPCC/SEAC/174/SEIAA/74/2013)At
Sector-18A, Dwarka, New Delhi



Developed by:

All India Society For Health Aid Education & Research (A.S.H.A)

7 Wood Villa, 2nd Avenue, Bandh Road, Chandanhola Village, New Delhi

Submitted by:

M/s Perfact Solutions

(Environment Consultant)

(ISO 9001:2015& ISO 14001:2015 Certified)

Perfact House, A 14, Shubham Enclave (Outer Ring Road), Paschim Vihar, New Delhi 110063,Ph.: 011-49281360

Content

CHAPTER-I: PURPOSE OF THE REPORT 3
CHAPTER II: INTRODUCTION 4
CHAPTER-III: SITE PHOTOGRAPHS: 6
CHAPTER IV: POINT – WISE STATUS OF COMPLIANCES FOR GRANTED ENVIRONMENTAL CLEARANCE CONDITIONS 9
ANNEXURE-I 17
COPY OF ENVIRONMENTAL CLEARANCE 17
ANNEXURE-II 18
COPY OF CTO GRANTED 18
ANNEXURE-III 19
COPY OF BMW AUTHORIZATION 19
ANNEXURE-IV 20
COPY OF WATER BILL 20
ANNEXURE-V 21
COPY OF BMW DISPOSAL AGREEMENT 21
ANNEXURE-VI 22
COPY OF USED OIL AGREEMENT 22
ANNEXURE-VII 23
COPY OF ELECTRICITY BILL 23
ANNEXURE-VIII 24
E-WASTE DISPOSAL AGREEMENT 24
ANNEXURE-IX 25
SOLID WASTE DISPOSAL AGREEMENT 25
ANNEXURE-X 26
COPY OF FIRE NOC 26

CHAPTER-I: PURPOSE OF THE REPORT

As per the "Sub Para (ii)" of "Para 10" of EIA Notification 2006, it is stated that "It shall be mandatory for the project management to submit half-yearly compliance reports in respect of the stipulated prior environmental clearance conditions/safeguards in hard and soft copies to the regulatory authority concerned, by 1st June and 1st December of each calendar year" and as per EIA Notifications, Six monthly compliance reports should be submitted to the Delhi Pollution Control Committee & Regional Office MOEF&CC, GOI, Integrated Regional Office, Lucknow.

It is mandatory to submit a Six-Monthly Compliance Report to show the status & compliance of all the Conditions mentioned in the Environment Clearance Letter, along with monitoring of various Environmental Parameters (as per CPCB Norms).

The regulatory authorities in this case are Delhi Pollution Control Committee & Regional Office MOEF, GOI, Northern Region, Lucknow.

Based on the Environmental Clearance Conditions mentioned in the EC Letter, a Compliance Report is prepared by the Perfact Solutions on behalf of Project Proponent; details of which are present in Chapter – "Compliance Report".

Methodology for Preparation of Report is as follows:

1. Study of EC Letter & Related Documents,
2. Site Visits by a representative/team of the Environment Consultant,
3. Monitoring of Environment Parameters, viz. Ambient Air, Water, Noise, Soil,
4. Analysis of Samples collected during Monitoring,
5. Interpretation of Monitoring Results,
6. Compliance Report, explaining the entire Environmental Clearance conditions in the EC Letter and providing details w.r.t. each condition/ guideline.

CHAPTER II: INTRODUCTION

The project is a Hospital located at Sector-18A, Dwarka, New Delhi. has been granted Environmental Clearance by the State Environment Impact Assessment Authority (SEIAA), Delhi, vide Environment Clearance Letter No. DPCC/SEAC/174/SEIAA/74/2013 Dated 01.08.2014 under the provision of EIA Notification, 2006 and Total plot area is 8000.40 sqm and built-up area is 38,317.08 sqm and the total estimated cost of the project is Rs. 89.5 Crores.

Particulars	Details of Project
Name of the project	Venkateshwar Hospital
Project activities	Hospital Establishments having bed strength 250 beds
Developed by	All India Society For Health Aid Education & Research (A.S.H.A)
Site address	Sector-18A, Dwarka, New Delhi
Environment Clearance Letter No.	DPCC/SEAC/174/SEIAA/74/2013 dated 01.08.2014.
Consent to Operate	Consent to Operate granted vide DPCC/CMC/2021/6050727 dated 4.02.2022 from DPCC which is valid up to 21.07.2026. Authorization under the Bio-medical Waste Rule 2016 vide File No.DPCC/(11)(5)(01)/ 2025/BMW/NST/AUTH/61823789P dated 24.01.2025 valid upto 17.06.2029.
Period of Compliance	Six monthly compliance for the period October 2025 to March, 2026 submission due in June 2026
Project Status	Operational

PROJECT DETAILS

The project has the following salient features:

S.No.	Parameters	Project details (As per Environmental Clearance) dated 01.08.2014
1	Project Cost	Rs. 89.5 Crores
2	Plot Area	8000.40 sqm
3	Total Built up area	38317.08 sqm
4	Ground Coverage achieved	2603.97 sqm
5	FAR achieved	19988.76 sqm
6	Basement area	10921.22 sqm
7	No. of floors	G+10
8	Height of Building	45.4 m
9	Total Water Requirement	378 KLD
10	Waste Water Generation	156 KLD
11	STP Capacity	200 KLD
12	ETP Capacity	10 KLD
13	Treated Water Quantity & Uses	146 KLD & Horticulture, Flushing & Cooling of D.G & H.V.A.C.
14	Solid waste Generation	360 Kg/day
15	Biomedical Waste Generation	63 Kg/day
16	Total Power Load	6890 KVA
17	Source of power Supply	BSES
18	D.G sets	3 x 1250 KVA 1 x 625 KVA
19	RWH Pits	2

CHAPTER-III: SITE PHOTOGRAPHS:




PHOTOGRAPHS OF OPERATIONAL BUILDING





PHOTOGRAPH OF SEWAGE TREATMENT PLANT

Six Monthly Compliance Report June-2026
"Venkateshwar Hospital" By A.S.H.A















CHAPTER IV: POINT – WISE STATUS OF COMPLIANCES FOR GRANTED ENVIRONMENTAL CLEARANCE CONDITIONS

OPERATIONAL PHASE		
S.No.	***Environmental Conditions/ Safeguards***	***Compliances***
1.	Consent to operate under Air and Water Acts shall be obtained from DPCC before operation, failing which the Environmental Clearance herein shall be deemed to be withdrawn.	We have obtained Consent to Operate from Delhi Pollution Control Committee vide Consent Order no. DPCC/CMC/2021/6050727 dated 4.02.2022 from DPCC which is valid up to 21.07.2026. Copy of CTO is enclosed as **Annexure - II.**
2.	The zero-waste water discharge condition shall be achieved with the installation of a well- designed onsite Sewage treatment plant (STP) for the treatment of sewage generated and the treated wastewater shall be reused in HVAC cooling, flushing through dual plumbing and in Horticulture. The STP should be certified by an independent expert (empaneled consultant of DPCC) and an adequacy report in this regard should be submitted to Delhi Pollution Control Committee before the project is commissioned Wastewater. Waste meter at all appropriate places shall be installed to know the quantum of water used, wastewater treated, treated water recycled/reused in HVAC, flushing and horticulture/ gardening. Necessary measures should be made to mitigate the odour problem from STP.	To manage the Zero wastewater discharge condition, we have installed an STP of 200 KLD capacity based on FAB technology to treat the wastewater (UV System has been installed for STP) and 10 KLD capacity of ETP to treat effluent generated from the complex. Treated water from ETP and STP is being reused in HVAC, flushing, gardening etc. within the complex. The STP Adequacy is done by Jamia Milia Islamia and report is submitted to concern deport. Meters has been installed for measuring the quantity of water used, wastewater treated & treated water reused. Proper Aeration and cleaning of tanks on a regular basis has been provided to mitigate the odour problem of STP.

3	The solid waste (dry as well as wet garbage) generated should be properly collected and segregated. Biodegradable garbage generated should be converted to compost or biogas by suitable technology. If feasible Non- Biodegradable waste should be outsourced properly after recovery of recyclable material. Paper recycling units should be installed for recycling and reuse of water paper Adequate measures should be taken to prevent odour problems.	The generation of solid waste is from various activities of the complex, which includes biodegradable, non-biodegradable, and recyclable waste. All the practices of solid waste management are adopted. Biodegradable waste is decomposed in the Organic Waste Convertor of 100 Kg/day Solid Waste Disposal Agreement has been made with M/s Bhumi Enterprises valid up to 09.10.2029. And its copy is enclosed as **Annexure - IX.**
4	Bio- medical waste, if generated, shall be disposed of as per the Bio-medical waste (Management & Handling) rules, 1998 and authorization shall be obtained from DPCC as per applicability.	We have obtained authorization under the Bio-medical Waste Rule 2016 vide File No. DPCC/(11)(5)(01)/2025/BMW/NST/AUTH/61823789P dated 24.01.2025 valid upto 17.06.2029 for No. of Beds 251 and quantity of Biomedical handling 315 kg/day. Biomedical waste is segregated and collected in bins, and for their safe disposal, waste is being given to the approved Recycler M/s SMS Water Grace BMW Pvt. Ltd. Valid up to 14.07.2026. A copy of the same is attached as **Annexure-V.**

5	Utilization of diesel power generating sets is subject to power failure condition only. The DG Sets proposed as a source of power back up during operation phase should be of enclosed acoustically treated type, low Sulphur diesel run and conform to rules made under the Environment (Protection) Act, 1986. The DG sets of capacities more than 1000 KVA should be provided the stipulate a stack height of 30 meter from ground. If not possible due to any reason, permission from MoEF must be obtained specifically for stack height of such DG sets. All the DG sets should be subjected to periodic noise and stack monitoring in consultation with DPCC. Waste/used diesel should be stored and managed as per the Hazardous waste (Management and Handling) Rules, 1989 as amended to date and be sold to CPCB approved recyclers. Clearance from AAI should be obtained for stack height of D.G set.	Diesel power generating sets of 2 x 1010 KVA & 1 x 500 KVA are installed with RECD Kit has been placed, commissioning has been done for DG Sets with acoustic enclosures that have been provided with adequate stack height to the DG Sets. D.G set used as power back up during a power cut. Low Sulphur Diesel is being used as per norms. Regular D.G Noise and Stack Monitoring has been conducted. Used oil is being stored and managed as per the Hazardous Waste (Management and Handling) Rules, 1989 as amended to date and being sold to approved recyclers. An agreement has been made with M/s New Lubri Sales(India) Pvt. Limited valid up to 31 October 2027. A copy of the Used oil disposal agreement enclosed as **Annexure-VI.**
6	Traffic congestion near the entry and exit point from the roads adjoining the project site must be avoided. Parking should be fully internalized and no public space should be utilized. Separate parking provisions should be provided for handicapped persons.	Traffic congestion near the entry and exit point from the roads adjoining the project site is being avoided. No public space shall be utilized for parking. Separate parking provisions shall be provided for handicapped persons.
7	Energy conservation measures such as solar lighting for common areas, solar water heating system, LED lights; solar inverters etc. should be adopted.	Entire internal fittings of LED lights & solar lights for the common area are installed in the premises. Energy conservation measures taken are as follows: 1. Energy efficient machines and motors are being used. 2. Bureau of Energy Efficiency rating, electrical appliances have been installed in the Hospital Complex. 3. Transformers and motors used have efficiencies as per ECBC norms.

8	A report of energy conservation measures conforming to energy conservation norms finalized by the Bureau of Energy Efficiency should be prepared incorporating details about building materials and technology, R & U Factor etc. and submit a copy to Ministry of Environment & forest, regional office, Chandigarh and DPCC in three months' time with intimation to SEIAA.	An energy conservation report has already been submitted.

GENERAL CONDITIONS		
S.No.	***Environmental Conditions/Safeguards***	***Compliances***
i.	The environmental safeguards and monitoring schedule as contained in the EMP should be implemented in letter and spirit & there will be no departure from the final project proposal.	Noted and ensured to be implemented the same.
ii.	Smoke generated due to vehicle movement in parking areas should be exhausted and provision for fresh air infusion should be provided as per CPCB norms.	We have ensured proper exhaust systems for smoke generated due to vehicle movement in parking areas, along with provisions for fresh air infusion as per CPCB norms. Regular maintenance and monitoring are conducted to ensure compliance.
iii.	BOD for treated water should not exceed 5 mg/l.	Noted, and we will maintain.
iv.	Essential load should not exceed 50 % of the total load.	Noted
v.	6 m wide green belt with a minimum of two rows of trees should be planted between school and the hospital.	6 m wide green belt with a minimum of two rows of trees have been planted between the school and the hospital.
vi.	Entry in hospital should be restricted from the school side.	Entry in the hospital is restricted from the school side.
vii.	No surface drain should be channelized	Surface drains are not channelized

	towards the school.	towards the school.
viii.	Treated water from ETP should be used for cooling purposes and should not be mixed with STP treated water.	Noted, Treated water from ETP is being used for cooling purposes and it is not mixed with STP treated water.
ix.	Green area (excluding hard landscape area) should not be less than 30 % of the total plot area.	Noted.
x.	Rain water from roof top only should be discharged in the RWH pits.	02 Nos. of Rain Water Harvesting pits are provided to recharge the rain water into the groundwater.
xi.	Minimum 15 m high barricading should be provided towards the school before the start of construction.	Adequate barricading was provided towards the school during the construction phase.
xii.	CSR expenditure of 0.4 % of the project cost towards capital works and 0.08 % of the project cost towards annual recurring expenditure should be certified by CA and submitted annually.	Noted and will comply.
xiii.	Public awareness training programmes regarding fire safety, disaster management and conservation of electricity & water should be conducted at least once in six months.	Regularly, Public awareness training programme regarding fire safety, disaster management are conducted and for the conservation of electricity & water various steps have been taken. A copy of the same attached as **Annexure-XI**
xiv.	Officials from the Ministry of Environment & Forests, Regional Office, Chandigarh and Delhi Pollution Control Committee, who would be monitoring the implementation of environmental safeguards, should be given full cooperation to inspect the facilities and documents/data on site by the project proponents during their site inspection. A complete set of all the documents submitted	We have ensured full cooperation with officials from the Ministry of Environment & Forests, Regional Office, Chandigarh, and the Delhi Pollution Control Committee (DPCC) during site inspections. All required facilities, documents, and data are made available for verification. A complete set of documents submitted to SEAC

	to SEAC should be forwarded to the Ministry of Environment & Forests, Regional Office, Chandigarh & DPCC. Six monthly monitoring reports should be submitted to the Ministry of Environment & Forests, Regional Office Lucknow & also to DPCC. (xv) In the case of any change(s) in the scope of the project. The project would require a fresh appraisal by the SEAC and the Consent to Establish/Operate from DPCC as well.	has been forwarded to the Ministry's Regional Office, Chandigarh, and DPCC. Six-monthly monitoring reports are regularly submitted to the Ministry's Regional Office, Lucknow, and DPCC. No changes in the project scope have been made; if any occur in the future, a fresh appraisal will be sought from SEAC, along with the necessary approvals from DPCC.
xv.	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by the SEAC and Consent to Establish/Operate from DPCC as well..	Noted and if there are any changes in the scope of the project, the condition shall be complied with.
xvi.	In compliance to Hon'ble High Order dated 7th August, 2008, use, sale and storage of all kinds of plastic bags shall be forbidden.	We have ensured strict compliance with the Hon'ble High Court order dated 7th August 2008, by prohibiting the use, sale, and storage of all kinds of plastic bags within the project premises. Regular monitoring and awareness measures are implemented to enforce this restriction.
xvii.	E-waste generated in the complex should be managed as per E-waste (Management and Handling) Rules, 2011 and disposed through approved e-waste recyclers.	E-waste generated in the complex is managed as per E-waste (Management and Handling) Rules, 2022 and agreement has been done with M/s Shiv Shakti Metals. A copy Of same Enclosed as **Annexure- VIII**
xviii.	The State Environmental Impact Assessment Authority reserves the right to add additional safeguard measures subsequently, if found necessary. and to take action including the revoking of the Environmental Clearance under the provisions of the Environmental	We have acknowledged the authority of the State Environmental Impact Assessment Authority (SEIAA) to impose additional safeguard measures if necessary. All stipulated conditions are being implemented in a time-bound and

	(Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	satisfactory manner. Compliance with the Environmental (Protection) Act, 1986, is strictly ensured, and records are maintained for verification.
xix.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department etc shall be obtained from the respective competent authorities.	All necessary clearances have been taken from the concerned authorities. We have obtained Fire NOC from Delhi Fire Service vide File **No. F6/DFS/MS/SZ/2023/ 528** dated 17/11/2023, valid for a period of three years. A Copy Of same Enclosed as **Annexure - X**
xx.	These stipulations would be enforced among others under the provisions of Water (Prevention and Control) Pollution Act, 1974, the Air (Prevention and Control) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006, as amended to date.	We are ensuring compliance with all prescribed conditions under the provisions of Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, Environment (Protection) Act, 1986, Public Liability Insurance Act, 1991 and EIA Notification, 2006, as amended till date. Regular monitoring and documentation is maintained for verification.
xxi.	The Project Proponent should prominently advertise in at least two local newspapers widely circulated in the region indicating that the project has been accorded Environmental Clearance and copy of clearance is available with the DPCC and may also be seen on the website of DPCC at http://www.dpcc.delhigovt.nic.in.The advertisement should be made within 10 days from the date of receipt of the Clearance letter.	Newspaper advertisement has already been done and submitted along with previous compliances.
xxii.	The Project Proponent should submit a copy of Environmental Clearance to the Heads of Local bodies, Panchayats and Municipal bodies in addition to relevant offices of Government who in turn has to display the	Copy of Environmental Clearance has already been submitted.

	same for 30 days from the date of receipt.	
xxiii.	The project proponent shall apply for amendment in EC, if there is a change in building plan(s) & layout plan(s) by DUAC or any other authority after the grant of EC.	We have confirmed that no changes have been made to the building plans or layout plans after the grant of Environmental Clearance (EC). In case of any future modifications approved by DUAC or any other authority, an amendment in EC will be applied for as required.
xxiv.	Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the Project Proponent on its website.	We ensure that the compliance status with the specified environmental conditions and safeguards is regularly uploaded on the website and updated as needed. Compliance records are kept for verification.

ANNEXURE-I
COPY OF ENVIRONMENTAL CLEARANCE

By Speed Post

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY – DELHI
OFFICE OF DELHI POLLUTION CONTROL COMMITTEE
4TH FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-110006
visit us at : http://dpcc.delhigovt.nic.in

F.No. DPCC/ SEIAA-SEAC/ 174/ 13/ 1273 **Dated:** 01/08/2014

ENVIRONMENT CLEARANCE NO. DPCC/ SEAC/ 174/ SEIAA/ 74/ 2013

To,

Shri Rajpal Solanki, Chairman,
M/s All India Society for Health Aid Education & Research (A.S.H.A.),
7 Wood Villa, 2nd Avenue, Bandh Road, Chandanhola Village,
New Delhi.

Telephone : 09810194276
E-mail : rajpsolanki@gmail.com

Sub: Environmental Clearance for the 200 Bedded "Venkateshwar Hospital" at Sector–18 A, Dwarka, New Delhi.

Sir,

1. This has reference to your application submitted on 25.06.2013 to the State Level Expert Appraisal Committee (SEAC), Delhi, constituted vide GOI Notification No. S.O. 1888(E) dated 30.07.2008 and re-constituted vide GOI Notification no. 1845(E) dated 08.08.2011, for seeking Environmental Clearance under the Environmental Impact Assessment Notification, 2006 amended as on date. The matter was discussed in the meetings of SEAC dated 25.07.2013, 26.08.2013 and 21.07.2014. Subsequently, letters for submission of the desired information/ documents were issued to the Project Proponent. On receipt of your responses to the said SEAC, Delhi, the proposal has been appraised on 21.07.2014 as per prescribed procedure in the light of provisions under EIA Notification, 2006 as amended to date on the basis of mandatory documents enclosed with the application along with the additional clarifications furnished in response to the observations of State Level Expert Appraisal Committee.

It is inter-alia noted that the proposal is for grant of Environmental Clearance for "Expansion of Venkateshwar Hospital" at Sector – 18 A, Dwarka, New Delhi. The total plot area is 8000.40 sq.mt. The existing built up area is 32,365.74 sq.mt and the proposed built up area is 38,317.08 sq.mt. The permissible ground coverage is 3200.16 sq.mt. The total proposed ground coverage is 2603.97 sq.mt. The permissible FAR area is 20,001 sq.mt. The existing FAR area is 15,993.68 sq.mt and the proposed FAR area is 3,995.08 sq.mt. The total FAR area is 19,988.76 sq.mt. The total Non-FAR area is 7,407.1 sq.mt (existing: 5,450.84 sq.mt. + proposed: 1,956.26 sq.mt.). The number of block is one. The proposed maximum number of floors will be G+10. The maximum height of the building is 45.4 m. The total number of 3

basements is provided (Upper basement, Middle basement & Lower basement). The total basement area is 10,921.22 sq.mt. The required parking is 400 ECS. The total proposed parking is for 405 ECS (Basement parking: 380 ECS + Surface parking: 25 ECS). The total proposed green area is 1600.08 sq.mt. The total water requirement for the proposed expansion will be 378 KLD, out of which fresh water requirement will be 232 KLD. The fresh water will be supplied by DJB. The total wastewater generation will be 156 KLD. 4 KLD of wastewater from laboratory will be treated in ETP of 10 KLD capacity, which will be treated in STP with capacity of 200 KLD based on FAB Technology. The treated wastewater will be 146 KLD, which will be used in Flushing (48 KLD), DG Cooling (16 KLD), HVAC cooling (80 KLD) and Horticulture (2 KLD). The total number of persons using the facility will be 1900 after proposed expansion (In-Patients: 250 persons + OPD: 500 persons + Medical Staff: 712 persons + Non FTE Medical: 38 + Visitors: 400 persons). The total quantity of municipal solid waste generation is 360 kg/day (Existing: 274 kg/day + Proposed: 86 kg/day). The total quantity of bio-medical waste generated is 63 kg/day (existing: 50 kg/day + proposed: 13 kg/day). The total power requirement is 6890 kVA. The source of power supply will be BSES. DG Sets of capacity 3 x 1250 KVA + 1 x 625 KVA are proposed for power backup. Total 2 rainwater harvesting pits will be provided. The total cost of the project is Rs. 89.5 Crores. SEIAA has not examined their requirements as the same has been taken into account by SEAC during the appraisal of project.

2. The State Level Environment Impact Assessment Authority, (SEIAA) in its 25th meeting held on 30.07.2014 hereby accords the Environmental Clearance for the period of 5 years from the date of issuance of this letter to the above said project as per provisions of Environment Impact Assessment Notification, 2006 and its subsequent amendments, subject to the compliance of the terms and conditions as follows:

PART A- SPECIFIC CONDITIONS

I. Construction Phase

(i) Construction should be started after obtaining prior Consent to Establish from Delhi Pollution Control Committee (DPCC) under Air and Water Acts and a copy shall be submitted to the SEAC-Delhi, failing which project shall be discontinued.

(ii) Provision shall be made for the housing of labours within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care along with first aid room, crèche etc. The housing may be in the form of temporary structures to be removed after completion of the project.

(iii) Health and safety norms of CPWD should be followed during construction.

(iv) Top soil excavated during construction activities should be stored within the site for use in horticulture/landscape development.

(v) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed of only in approved sites with the approval of competent authority taking the necessary precautions for general safety and health aspects of people.

(vi) Proper measures should be adopted to control dust emissions during construction phase by providing adequate numbers of water sprinklers.

(vii) Soil and water samples of the site should be tested by the Project Proponent from any laboratory recognized by MOEF/ DPCC to ascertain that there is no threat to ground water quality by leaching of contaminants, on quarterly basis for inclusion in the six monthly reports.

(viii) Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water. Bulk of the demolition waste should be recycled and minimum possible demolition waste should be dumped at designated dumping site.

(ix) Bio-medical waste, if any, shall be disposed of as per the Bio-medical Waste (Management & Handling) Rules, 1998 and authorization shall be obtained from DPCC as per applicability.

(x) Any hazardous waste generated during construction and operation phase should be disposed of as per applicable rules and norms with necessary authorization from Delhi Pollution Control Committee.

(xi) The diesel generator sets to be used during construction phase should be acoustically treated and operated on low sulphur diesel and should conform to the Environment Protection Rules prescribed for air and noise emission standards.

(xii) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.

(xiii) Vehicles hired for bringing construction material to the site should be in good condition, have pollution check certificate, and conform to applicable air & noise emission standards. These vehicles should be operated only during non-peak hours. The material loaded or unloaded should be covered (especially sand, excavated soil, etc.) before transportation to avoid fugitive emissions etc.

(xiv) Ambient noise levels should conform to prescribed residential standards both during day and night hours. Adequate measures should be made to reduce ambient air and noise level during construction and operation phase, so as to conform to the norms stipulated by CPCB/ DPCC. Ambient air and noise monitoring should be done by an accredited lab and data should be submitted along with compliance report in every six month.

(xv) Thick green belt of the adequate width and density, along with adequate tree plantation to create a buffer zone as per plan submitted, shall be raised along the periphery of the plot so as to provide protection against particulates and noise.

(xvi) Natural drainage should be preserved as far as possible.

(xvii) Rain water harvesting, as per plan submitted, for roof top run-off and surface run-off should be implemented. Before recharging the surface run-off, pre-treatment must be done to remove suspended matter, oil and grease. The depth of the bore for rainwater recharging should be kept in consultation with DJB. No wastewater (such as sewage, trade effluent, backwash of treatment unit, floor washing wastewater etc) should be discharged into the rainwater harvesting structure in order to avoid groundwater contamination. The collected rainwater, if any, should be properly treated before use.

(xviii) The ground water withdrawal during construction and operation phases should be done only with the prior permission of DJB. Until then, no ground water shall be extracted from the site and is used in construction activities. The ground water level and its quality should also be monitored regularly in consultation with DJB.

(xix) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification dated September 14th, 1999 and as amended upto date.

(xx) Ready Mix Concrete must be used in building construction to minimize the use of water and also by use of pre-mixed concrete, curing agents and other best practices preferred.

(xxi) Fixtures for toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control mechanism.

(xxii) Energy Conservation Building Code to be strictly adopted in all aspects of building design and construction. Requirements of GRIHA rating, if proposed, should be followed.

(xxiii) Approval of Chief Fire Officer and Delhi Urban Arts Commission for Building Plans, approval of Airport Authority of India for Building Height and approval of other authorities viz Land Owning Agency, DJB, MCD, NDMC, DISCOM, etc should be obtained.

(xxiv) NOC for cutting of trees, if any, should be obtained from Department of Forests & Wildlife.

(xxv) Approval of competent authority shall be obtained for structural safety of the building due to earthquake. Adequacy should be ensured for firefighting equipments etc as per National Building Code including protection measures from lightening.

(xxvi) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to neighbours.

II. Operation Phase

(i) Consent to Operate under Air and Water Acts shall be obtained from DPCC before operation, failing which the Environmental Clearance herein shall be deemed to be withdrawn.

(ii) The Zero wastewater discharge condition shall be achieved with installation of a well designed on-site Sewage Treatment Plant (STP) for the treatment of sewage generated and the treated waste water shall be reused in HVAC cooling, flushing through dual plumbing and in Horticulture. The STP should be certified by an independent expert (empanelled consultant of DPCC) and adequacy report in this regard should be submitted to Delhi Pollution Control Committee before the project is

commissioned for operation. Water meters at all appropriate places shall be installed to know the quantum of water used, wastewater treated, treated water recycled/reused in HVAC, flushing and horticulture/ gardening. Necessary measures should be made to mitigate the odour problem from STP.

(iii) The solid waste (dry as well as wet garbage) generated should be properly collected and segregated. Biodegradable garbage generated should be converted to compost or biogas by suitable technology, if feasible. Non-Biodegradable waste should be outsourced properly after recovery of recyclable material. Adequate measures should be taken to prevent odour problem.

(iv) Bio-medical waste, if generated any, shall be disposed of as per the Bio-medical Waste (Management & Handling) Rules, 1998 and authorization shall be obtained from DPCC as per applicability.

(v) Utilization of Diesel power generating sets is subject to power failure condition only. The DG sets proposed as a source of power back up during operation phase should be of enclosed acoustically treated type, low sulphur diesel run and conform to rules made under the Environment (Protection) Act, 1986. The DG sets of capacity more than 1000 KVA should be provided the stipulated stack height of 30 meter from ground. If not possible due to any reason, permission from MOEF must be obtained specifically for stack height of such DG sets. All the DG sets should be subjected to periodic noise and stack monitoring in consultation with DPCC. Waste/used diesel should be stored and managed as per the Hazardous Waste (Management and Handling) Rules, 1989 as amended to date and be sold to CPCB approved recyclers. Clearance from AAI should be obtained for stack height of D.G Set.

(vi) Traffic congestion near the entry and exit points from the roads adjoining the project site must be avoided. Parking should be fully internalized and no public space should be utilized. Separate Parking provision should be provided for handicapped persons.

(vii) Energy Conservation measures such as solar lighting for common areas, solar water heating system, LED lights; solar inverters etc should be adopted.

(viii) A Report on energy conservation measures conforming to energy conservation norms finalized by Bureau of energy Efficiency should be prepared incorporating details about building materials and technology, R & U factors etc and submit a copy to Ministry of Environment & Forests, Regional Office, Chandigarh and DPCC in three months time with intimation to SEIAA.

PART B- GENERAL CONDITIONS

(i) The environmental safeguards and monitoring schedule as contained in the EMP should be implemented in letter and spirit & there will be no departure from the final project proposal.

(ii) Smoke generated due to vehicle movement in parking area should be exhausted and provision for fresh air infusion should be provided as per CPCB norms.

(iii) BOD for treated water should not exceed 5 mg/l.

(iv) Essential load should not exceed 50 % of the total load.

(v) 6 m wide green belt with minimum two rows of trees should be planted between school and the hospital.

(vi) Entry in the hospital should be restricted from the school side.

(vii) No surface drain should be channelized towards the school.

(viii) Treated water from ETP should be used for cooling purposes should not be mix with STP treated water.

(ix) Green area (excluding hard landscape area) should not be less than 30 % of the total plot area.

(x) Rain water from roof top only should be discharged in the RWH pits.

(xi) Minimum 15 m high barricading should be provided towards the school before the start of construction.

(xii) CSR expenditure of 0.4 % of the project cost towards capital works and 0.08 % of the project cost towards annual recurring expenditure should be certified by CA and submitted annually.

(xiii) Public awareness training programme regarding fire safety, disaster management and conservation of electricity & water should be conducted at least once in six months.

(xiv) Officials from Ministry of Environment & Forests, Regional Office, Chandigarh and Delhi Pollution Control Committee, who would be monitoring the implementation of environmental safeguards, should be given full co-operation to inspect the facilities and documents/data on site by the project proponents during their site inspection. A complete set of all the documents submitted to SEAC should be forwarded to Ministry of Environment & Forests, Regional Office, Chandigarh & DPCC. Six monthly monitoring reports should be submitted to Ministry of Environment & Forests, Regional Office Chandigarh & also to DPCC.

(xv) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by the SEAC and the Consent to Establish/Operate from DPCC as well.

(xvi) In compliance to Hon'ble High Court's Order dated 7th August, 2008, use, sale and storage of all kinds of plastic bags shall be forbidden.

(xvii) E-waste generated in the complex should be managed as per E-waste (Management and Handling) Rules, 2011 and disposed through approved e-waste recyclers.

(xviii) State Environmental Impact Assessment Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including the revoking of the Environmental Clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

(xix) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department etc shall be obtained from the respective competent authorities.

Anil Kaur

(xx) These stipulations would be enforced among others under the provisions of Water (Prevention and Control) Pollution Act, 1974, the Air (Prevention and Control) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006, as amended to date.

(xxi) The Project Proponent should prominently advertise in at least two local Newspapers widely circulated in the region indicating that the project has been accorded Environmental Clearance and copy of clearance is available with the DPCC and may also be seen on the website of DPCC at http://www.dpcc.delhigovt.nic.in. The advertisement should be made within 10 days from the date of receipt of the Clearance letter.

(xxii) The Project Proponent should submit copy of Environmental Clearance to the Heads of Local bodies, Panchayats and Municipal bodies in addition to relevant offices of Government who in turn has to display the same for 30 days from the date of receipt.

(xxiii) The project proponent shall apply for amendment in EC, if there is change in building plan(s) & layout plan(s) by DUAC or any other authority after the grant of EC.

(xxiv) Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the Project Proponent on its website.

" Any appeal against this environmental clearance shall lie with the National Green Tribunal (NGT), if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal (NGT) Act, 2010".

(Dr. Anil Kumar)
Member Secretary (SEIAA)

Copy to:

1. **Sh. Kaushal Kumar Mathur, Chairman, State Level Environment Impact Assessment Authority,** 4, Defence Enclave, Vikas Marg, Delhi - 110092.
2. **The Secretary (Environment) cum Chairman (DPCC),** Department of Environment, Government of NCT Delhi, Secretariat Building, 6th Level, C-Wing, I.P. Estate, New Delhi.
3. **Additional Principal Chief Conservator of Forests (C),** Regional Office (Central), Ministry of Environment & Forests, Regional Office, Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow-226024.
4. **The Director, Impact Assessment III– Division, Ministry of Environment & Forests,** Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi-110003.
5. **SEE (IT) - (DPCC) for necessary action regarding uploading the EC on the website.**

(Dr. Anil Kumar)
Member Secretary (SEIAA)

ANNEXURE-II
COPY OF CTO GRANTED

DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

CONSENT ORDER

Certificate No. :G-21841

Name of the unit	:	All India Society for Health Aid Education and Research
Address	:	Sector 18 Dwarka, Health Care Facility, Delhi - 110075
Consent Order No	:	DPCC/CMC/2021/6050727
Date of issue	:	04/02/2022
Product/Activity	:	Health Care Establishments having bed strength above 50 beds and connected or not connected to Sewer and with boiler
Manufacturing Activities	:	Venkateshwar Hospital
Category Name	:	[RED]
Prouct Capacity	:	0 Metric Tonnes/Day

This Consent to **Operate** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **RED** Category.This consent is subjected to terms and conditions specified overleaf.**This is being issued with reference to your application id 6050727 valid from 22/07/2021 to 21/07/2026.**

Incharge, WMC-1

Terms and Conditions

1. The Consentee shall meet the effluent standards i.e. pH= 6.5-9, Total Suspended Solids (TSS) 100,Biochemical Oxygen Demand (3days at 27degree Cent.) 30, COD 250, Oil and Grease10, Bio-assay Test-90%-100% (present survival of fish after 96 hours in 100% effluent) . #All effluent parameters are in mg/l expect pH value & Bio-assay test value.
2. The Consent is activity specific and based on the information provided in the consent application alongwith the documents/ subsequent documents/information submitted to Delhi Pollution Control Committee (DPCC). The Consentee shall apply for fresh consent in case of any change in the activity/manufacturing process.
3. The consentee/unit shall have/take separate Electricity/Power connection in its name and shall have/install separate meter in this regard.
4. The consentee shall provide and maintain separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system and shall be connected to the conveyance system/ sewerage system of the area leading to common Effluent Treatment Plant of the Industrial Area/sewage Treatment Plant of the catchment area.
5. The Consentee shall obtain permission from Delhi Jal Board. for ground water extraction, if any, as per the various orders/Notification of Govt. of NCT of Delhi.
6. The Consentee shall ensure proper channelization/ control system for fugitive emissions generated fromthe various activities/ processes of the unit and maintain good house keeping practices so as to maintain clean & safe environment in and around the premises of the unit
7. The Consentee shall comply with the noise standards laid down vide Gazette notification of Ministry of Environment and Forest(MOEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements],if any, as per the Gazette Notification of MOEF, Dated 09.07.2002, as amended to date. Stack Height tor sets(Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following (i)Minimum 6 meter above the building where generator set is installed (ii) 30 meter (iii) 14Q°'3(Q Total So2 emission from the plant in kg per hr) and for otter DG Set(s) (up to 0.8 MW) stack height shall be as per the following formula, H = h + 0.2?KVA(H-Total Height of stack in meter , h =Height of the building in meters where the Generator Set is installed, KVA -Total Generator capacity of the set in KVA).
8. The Consentee shall comply with the provisions of the Biomedical Waste Management Rules, 2016, as amended to date.
9. The Consentee shall comply with the provisions of the Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling)Rules, 2001 as amended to date, Solid Waste Management Rules,2016 and E-Waste (Management) Rules,2016, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed only through the Recycler/Reprocessor /Authorized Agencies for such wastes, authorized by MOEF/Central Pollution Control Board/State Pollution Control Board/Committee/DPCC as per details available on their websites.
10. The Consentee shall comply with the provisions of the Plastic Waste Management Rules,2016, as amended to date, if applicable.
11. The Consentee shall comply the other prescribed standards of Effluent/Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000.as amended to date.
12. The Consentee shall promote the use of CFL and recovery of mercury from CFL Lamps and should

create a system of replacing of old bulbs for new to enable recovery of mercury after the bulbs are fused.
13. The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in National Capital Territory of Delhi, as per Master Plan of Delhi.
14. Quantity of Effluent/Sewage Discharge from the unit shall not exceed nil Litres/ Day (100 % waste water recycling and zero waste water discharge).
15. The Consentee have installed Sewage Treatment Plant (STP) of 200 KLD and Effluent Treatment Plant (ETP) of 10 KLD and shall properly operate and maintain to meet the prescribed standards as given in the Consent Order.
16. Flow Meters/ suitable flow measuring devices shall be provided and maintained to measure the quantity of waste water generation and treatment by the unit and to quantify the reused of treated water . No bypass (Pipe / Drain) shall be provided. The treated effluent shall be used/recycled by the unit in horticulture/ landscaping/ cooling/ flushing purposes. Records /Logbook shall be maintained for the operation of the STP, waste water generated, treated and used/recycled and shall be produced during the inspection of DPCC official(s).
17. The Consentee shall ensure proper channelization / control system for fugitive emissions generated from the various activities / processes of the unit and maintain good housekeeping practices so as to maintain clean and safe environment in and around the premises of the unit.
18. Capacity of the DG Set (s) installed in the unit 1x500 KVA & 2X1010 kVA. The Consentee shall properly maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and maintain the adequate stack height for DG Set(s) to meet the prescribed standards/ norms as mentioned above. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets.
19. Project proponent will ensure use of ozone depletion substances (ODS) free appliances so that no toxic gases in air conditioning/ refrigeration/ fire extinguishers are created.
20. Zero garbage concept shall be implemented with appropriate technology of composting.
21. Unit shall implement the environmental safeguards as per stipulations in Environmental Clearance issued by MoEF/SEIAA and shall submit half yearly compliance report in respect of the terms and conditions of Environmental Clearance to Regional Office of MoEF and simultaneously to DPCC on the prescribed date.
22. The Consentee shall comply with the applicable provisions / Directions given vide Gazette Notification of Department of Environment, Govt. of NCT of Delhi, dated 23-10-2012 including the directions that No person shall manufacture, import, store, sell or transport any kind of plastic carry bags (including that of Poly Propylene, Non woven fabric type carry bags) in the whole of National Capital Territory of Delhi.
23. The Consentee shall submit application for renewal of the Consent, one month in advance of the expiry date of this Consent Order.
24. In the event of any information furnished by the Consentee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration.
25. Notwithstanding anything contained in this consent order. Delhi Pollution Control Committee , reserves its right to review any / or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution)Act, 1981, as amended to date and the Water(Prevention and Control of Pollution)Act, 1974, as amended to date.
26. The Consent granted to the Consentee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consentee / unit to exist in violation of other laws and statutory provisions including the Master Plan of Delhi.
27. The consentee shall submit the Stack Monitoring Report of DG Sets 2X1010 kVA from DPCC/NABL/MoEF/CPCB accredited lab within 15 days after lifting of prohibitions.

28. The consentee shall comply with the directions issued vide letter no DPCC/(1)(1)(314)/Air lab /2021/199-209/dated 02.07.2021regarding retrofitting of DG Set with emission control device/equipment having a minimum specified particulate capturing efficiency of atleast 70% in 5 mode D2 cycle or to shift to gas based Generator within the time prescribed.

29. This issues in view of the Office Order No. F. No. DPCC/Consent/2017/569-580 dated 30.05.2017 and Office Order No. F. No. DPCC/Consent/2017/1185-1198 dated 08.09.2017 as per decision taken by Bio-Medical Waste Committee No. 1in its meeting held on 06.012022.

12. Standard

Parameter Name	**Prescribed Standard**
Particulate Matter (mg/ Nm3)	150.0

DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building
Kashmere Gate, Delhi 110006
(Visit us at https://www.dpccocmms.nic.in)

LiFE Lifestyle for Environment

CONSENT ORDER

Certificate No. :G-32949

Name of the unit	:	M/s All India Society for Health Aid Education & Research (ASHA)
Address	:	"Venkateshwara Daycare " (100 Beds Nursing Home) At Sector 18 A, Phase -II, Dwarka, New Delhi, 110075, Badli Industrial Area, Delhi - 110075
Consent Order No	:	DPCC/CMC/2023/9579686
Date of issue	:	22/08/2023
Product/Activity	:	Health Care Establishments having bed strength above 50 beds and connected or not connected to Sewer and without boiler
Manufacturing Activities	:	100 Bedded Hospital
Category Name	:	[RED]
Prouct Capacity	:	0 Metric Tonnes/Day

This Consent to **Operate** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **RED** Category.This consent is subjected to terms and conditions specified overleaf.**This is being issued with reference to your application id 9579686 valid from 07/06/2023 to 06/06/2028.**

Prem Swarup Pankaj
Digitally signed by Prem Swarup Pankaj
Date: 2023.08.22 13:56:03 +05'30'

Senior Environmental Engineer

Terms and Conditions

The Consentee shall meet the effluent prescribed standards i.e. pH= 6.5-9, Total Suspended Solids (TSS) 0, Biochemical Oxygen Demand (3 days at 27 degree Cent.) 30, COD 250, Oil and Grease 10, Bio Assay st (Present survival of fish after 96 hours in 100% effluent) = 90-100 %.

l effluent parameters are in mg/l except pH value & Bio-assay test value.

The Consent is activity specific and based on the information provided in the consent application along th the documents/ subsequent documents/ information submitted to Delhi Pollution Control Committee PCC). The Consentee shall apply for fresh consent in case of any change in the activity/ process.

The Consentee shall provide and maintain a separate drainage system for collection of trade and sewage fluents. Terminal manholes shall be provided at the end of the collection system and shall be connected to e conveyance system / sewerage system of the area leading to the Common Effluent Treatment Plant of e Industrial Area/ Sewage Treatment Plant of the catchment area.

The Consentee shall obtain permission from Delhi Jal Board, for ground water extraction, if any, as per the arious orders/Notifications of Govt. of NCT of Delhi.

. The Consentee shall ensure proper channelization / control system for fugitive emissions generated from ie various activities / processes of the unit and maintain good housekeeping practices so as to maintain a lean and safe environment in and around the premises of the unit.

. The Consentee shall comply with the noise standards laid down vide Gazette Notification of Ministry of nvironment and Forest(MOEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, or the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel ngines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other equirements], if any, as per the Gazette Notification of MOEF, Dated 09.07.2002, as amended to date. tack Height for sets(Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum f following:

) Minimum 6 meter above the building where generator set is installed

i) (ii) 30 meter

ii) (iii) 14Q^0.3 (Q- Total SO2 emission from the plant in kg/hr) and for other DG Set(s) (upto 0.8 MW) ack height shall be as per the following formula, H = h + 0.2(KVA)^0.5 (H- Total Height of stack in eter , h = Height of the building in meters where the Generator Set is installed, KVA - Total Generator pacity of the set in KVA).

The Consentee shall comply with the provisions of the Hazardous and Other Wastes (Management and ansboundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling) ules,2001,as amended to date, Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 16, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, herever applicable. All such wastes generated from the unit will be managed and handled as per the ovisions of the said Rules and will be disposed only through the Recycler / Reprocessor /Authorized gencies for such wastes, authorized by MOEF/ Central Pollution Control Board/ State Pollution Control oard/Committee/DPCC as per details available on their websites.

The Consentee shall comply with the provisions of the Biomedical Waste Management Rules, 2016, as ended to date.

he Consentee shall comply with the provisions of the Plastic Waste Management Rules, 2016, as nded to date, if applicable.

The Consentee shall comply with the provisions of Solid Waste Management Rules, 2016.

The Consentee shall comply the other prescribed standards of Effluent / Emissions as prescribed and as icable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the ous Rules made there under including the Noise Pollution(Regulation and Control) Rules, 2000,as nded to date.

The Consentee shall promote the use of LEDs and should create a system of replacing old bulbs.

Total water demand of the project is expected to be approx. 49 KLD and the same will be met by fresh er from DJB & Recycled treated water. Trade effluent generated (4 KLD) will be treated in ETP of 5 D. Domestic wastewater generation will be 32 KLD and will be treated in STP of 40 KLD.
The zero waste water discharge condition to be achieved with installation of onsite Sewage Treatment nt. Trade effluent shall conform to the norms and standards prescribed by Delhi Pollution Control mmittee. The STP should be certified by an independent expert and a report in this regard should be omitted to Delhi Pollution Control Committee before the project is commissioned for operation.
cessary measures should be made to mitigate the odour problem from STP.

. The treated wastewater shall be recycled and reused for Horticulture/ landscaping/ cooling/ flushing rposes to reduce the demand of fresh water as committed.

. The project proponent shall provide electromagnetic flow meter at the inlet and outlet of the water pply, Inlet and outlet of the STP and any pipeline to be used for re-using the treated wastewater back into e system for cooling, flushing and for horticulture purpose/green etc. and shall maintain a record of adings of each such meter on daily basis.

. The quantity of fresh water usage and water recycling shall be measured and recorded to monitor the ter balance as projected by the project proponent. The record shall be submitted to the Delhi Pollution ntrol Committee on six monthly basis.
. Capacity of the Diesel Generator Set (s) installed in the HCF are 1*1050 KVA. The Consentee shall perly maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and intain the adequate stack height for DG Set(s) to meet the prescribed standards/ norms as mentioned ove. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for G Sets.

. The Consentee shall submit an application for renewal of the Consent, one month in advance of the piry date of this Consent Order. In the event of any information furnished by the Consentee found to be se OR in case of failure to comply with any of the above mentioned consent conditions, consent granted ough this Consent Order shall be deemed to be revoked without any notice and necessary action as per shall be taken, which may include closure of the unit and prosecution for wrong declaration.
twithstanding anything contained in this consent order. Delhi Pollution Control Committee , reserves its ht to review any / or all the conditions imposed herein above and to make such variations as deemed fit the purpose of enforcement of the Air (Prevention and Control of Pollution)Act, 1981, as amended to e and the Water(Prevention and Control of Pollution)Act, 1974, as amended to date.

DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building
Kashmere Gate, Delhi 110006
(Visit us at https://www.dpccocmms.nic.in)

CONSENT ORDER

Certificate No. :G-32949

Name of the unit	:	M/s All India Society for Health Aid Education & Research (ASHA)
Address	:	"Venkateshwara Daycare " (100 Beds Nursing Home) At Sector 18 A, Phase -II, Dwarka, New Delhi, 110075, Badli Industrial Area, Delhi - 110075
Consent Order No	:	DPCC/CMC/2023/9579686
Date of issue	:	22/08/2023
Product/Activity	:	Health Care Establishments having bed strength above 50 beds and connected or not connected to Sewer and without boiler
Manufacturing Activities	:	100 Bedded Hospital
Category Name	:	[RED]
Prouct Capacity	:	0 Metric Tonnes/Day

This Consent to **Operate** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **RED** Category.This consent is subjected to terms and conditions specified overleaf.**This is being issued with reference to your application id 9579686 valid from 07/06/2023 to 06/06/2028.**

Prem Swarup Pankaj
Digitally signed by Prem Swarup Pankaj
Date: 2023.08.22 13:56:03 +05'30'

Senior Environmental Engineer

ANNEXURE-III
COPY OF BMW AUTHORIZATION

DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building
Kashmere Gate, Delhi 110006
(Visit us at https://www.dpccocmms.nic.in)

(AUTHORIZATION UNDER BIO MEDICAL WASTE MANAGEMENT RULES, 2016)

File number of authorization : DPCC/(11)(5)(01)/2025/BMW/NST/AUTH/61823789P
Application No: 11207112 **Date:24/01/2025**

1. M/s All India Society for Health Aid Education and Research an occupier of the facility located at Sector 18 Dwarka, Delhi 110075 is hereby granted this authorization for Generation, Segregation,Collection,Storage, of Biomedical Waste at the premises and for Transportation, Treatment and Disposal of Bio-Medical Waste through Common Bio-Medical Waste Treatment Facility (CBMWTF) authorized by Delhi Pollution Control Committee.

2. **Number of beds of HCF : 251**

3. **Quantity of Biomedical waste handled : 315 (Kg/day)**

4. This authorization shall be in force for a period of Five Years and valid up to 17/06/2029.

5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Signature.....
Designation

-:-Terms and Conditions-:-

1. The occupier shall comply with the provisions of Bio-Medical Waste Management Rules, 2016 as amended to date.
2. The occupier shall comply with the standards prescribed in Schedule-II of Bio-Medical Waste Management Rules, 2016 as amended to date for discharge of the Waste Waster/ Effluent generated or treated.
3. The authorization or its renewal shall be produced for inspection at the request of any officer authorized by DPCC.
4. This is the duty of the authorized person to take prior permission of the prescribed authority i.e Delhi Pollution Control Committee to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
5. It shall be ensured that the Bio-Medical Waste is finally treated within a period of 48 hours. If for any reason it becomes unavoidable, intimation should be given in writing to DPCC and measures are to be ensured so that the waste does not adversely affect human health and the environment.
6. The occupier shall ensure that bio-medical waste is not mixed with other wastes and is segregated into containers / bags at the point of generation in accordance with Schedule-I (part I).

7. The occupier shall have a valid agreement with the operator of a facility authorized by DPCC for collection, transportation, treatment & disposal of the bio-medical waste.
8. The Occupier shall hand over the bio-medical waste timely to the authorized operator of a facility duly segregated, labelled, tagged and kept in proper containers for the collection, transportation, treatment & disposal as per Rules.
9. The occupier shall inform the prescribed authority immediately in case the operator of facility does not collect the bio medical waste with in the intended time or as per the agreed time.
10. The occupier shall maintain records of the Bio-Medical Waste generated and disposed of/ handed over to the authorized operator of a facility (CBWTF). The record shall be made available, for inspection & verification, to any officer authorized by DPCC. The records shall be maintained for the period of 5 years in accordance with these rules and guidelines issued by Central Government or the Central Pollution Control Board or the prescribed authority as the case may be.
11. The Occupier shall also ensure proper collection and disposal of bio-medical waste containing mercury through the vendor authorize for the purpose. The occupier shall phase out mercury based equipment e.g. thermometers and B.P. Measuring Equipment.
12. In case of any major accident involving Bio-Medical Waste, the occupier shall report the accident in Form-I, prescribed under the Rules, to DPCC.
13. The Occupier shall pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilization on-site in the manner as prescribed by the World Health Organization (WHO) or National AIDs Control Organization (NACO) guidelines and then sent to the common bio-medical waste treatment facility for final disposal.
14. The Occupier is required to display the authorization at a prominent place in its premises for view of general public.
15. The Occupier shall use only non-chlorinated plastic bags & gloves as per Notification dated 16th March, 2018 published by MOEF&CC.
16. The Occupier shall establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises for the further treatment & disposal in accordance with the guidelines issued by CPCB.
17. The Occupier shall ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralization prior to mixing with other generated effluent from HCF, if any.
18. The Occupier shall immunise all its health care workers and others, involved in handling of bio-medical waste for protection against diseases including Hepatitis-B & Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunization Policy or the guidelines of the Ministry of Health & Family Welfare issued from time to time.
19. The Occupier shall ensure occupational safety of all its health care workers & others involved in handling of bio-medical waste by providing appropriate & adequate personal protective equipment.
20. The Occupier shall conduct health check-up at the time of induction & at least once in a year for all its health care workers others involved in handling of bio-medical waste & shall maintain records for the same.
21. The Occupier shall develop its own website by 15th March, 2020 and shall make available the annual report on its website.
22. The Occupier shall provide training to all its health care workers and others, involved in handling of bio-medical waste at the time of induction & thereafter at regular intervals & the details of training programmes conducted, number of personnel trained & number of personnel not undergone any training shall be provided in the Annual Report.
23. The Occupier shall submit the Annual Report in Form-IV by 30th June every year, including information about the categories and quantities of bio-medical waste generated from 1st January to 31st December of the preceding year.
24. The Occupier shall submit the copy of fresh valid agreement with CBWTF to this office within 15 days

of expiry of previous agreement or in case of any change.
25. In case the Occupier is having a Generator Set, he shall comply with the noise standards laid down vide Gazette Notification of Ministry of Environment, Forest & Climate Change (MoEF&CC), Government of India Dated 17.05.2002 and 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements], if any, as per the Gazette Notification of MOEF, Dated 09.07.2002, as amended to date.
Stack Height for Generator Sets (Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following:
a. Minimum 6 meter above the building where generator set is installed
b. 30 meter
c. 14Q^0.3 (Q- Total SO2 emission from the plant in kg/hr) and for other DG Set(s)
(upto 0.8 MW) stack height shall be as per the following formula, H = h + 0.2(KVA)^0.5 (H- Total Height of stack in meter , h = Height of the building in meters where the Generator Set is installed, KVA is capacity of Generator set in KVA).
26. The Occupier needs to comply with the directions of CAQM (Commission for Air Quality Management In National Capital Region and Adjoining Areas) issued from time to time regarding Generator Sets, Graded Response Action Plan (GRAP) & other necessary directions if applicable.
27. The Occupier shall comply with the provisions of Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016 as amended to date, Bio-medical Waste Management Rules, 2016 as amended to date, Plastic Waste Management Rules, 2016 as amended to date, Battery Waste Management Rules, 2022 as amended to date, Solid Waste Management Rules, 2016 as amended to date, Construction and Demolition Waste Management Rules, 2016 as amended to date, E-Waste (Management) Rules, 2022 as amended to date, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed off only through the Recycler/ Preprocessors/ Authorised Agencies for such wastes, authorised by MoEF/ Central Pollution Control Board/ State Pollution Control Board/ Committee/ DPCC as per details available on their websites.
28. The Occupier shall comply the other prescribed standards of Effluent/ Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000 as amended to date.
29. Submission of false information shall make the authorization liable for cancellation without any notice.
30. The Occupier shall use only Piped Natural Gas (PNG) as fuel in boilers, if any.
31. In case of violation of any of above said conditions, penal action will be initiated against the Occupier including withdrawal of authorization/consent etc.
32. In case of failure to comply with any of the above conditions and / or with any provision of the Act or of these Rules, authorization issued to the Occupier may be suspended or cancelled as per the provisions under sub-rule 10 (2) of Bio- Medical Waste Management Rules, 2016, as amended to date.
33. It will be the responsibility of the Occupier to obtain prior clearances/ approval and ensure compliances under all other relevant Acts/ Rules/ Regulations/ Guidelines/ Instructions/ Court Orders/ Tribunal Orders as applicable to this Health Care Facility (HCF).
34. Please note that the issuance of authorization shall not be construed in any manner whatsoever that you are legitimately operating your Health Care Establishment with respect to other statutory requirements viz- local land use, Master Plan of Delhi, etc.
35. The authorization is subject to the condition that you are operating as per the provision of Master Plan of Delhi, 2021.
36. The Occupier shall ensure treatment and disposal of the entire effluent/liquid waste generated from the

HCF in accordance with the provisions under the Water (Prevention and Control of Pollution) Act, 1974 and shall meet the standards prescribed by Delhi Pollution Control Committee. The Occupier shall also ensure the maximum re-use of the treated effluent for various purposes e.g. gardening, flushing, cooling, etc.

37. If the Occupier is having laundry facility and/or not connected to the public sewer, the Occupier is required to install requisite treatment system before its discharge to meet the standards as prescribed under BMWM Rules, 2016.

38. Sludge from Effluent Treatment Plant shall be given to common bio-medical waste treatment facility for incineration or to hazardous waste treatment, storage and disposal facility for disposal.

39. The occupier shall apply for renewal of authorization under the aforementioned Rules before one month of the expiry of this authorization.

40. The occupier shall apply for fresh Authorization in case of any change/ alteration in the activity/number of beds etc.

41. Environmental Compensation imposed (if any) shall be dealt separately.

42. The Authorization is being issued as per the decision taken by the BMW Committee No. 1 in its meeting held on 16.01.2025.

To,

All India Society for Health Aid Education and Research
Sector 18 Dwarka, Delhi
110075

ANNEXURE-IV
COPY OF WATER BILL

Delhi Jal Board (दिल्ली जल बोर्ड)

(Government of NCT of Delhi)
www.djb.gov.in
Regular Water Bill



Name(नाम**):** DIRECTOR,ALL INDIA SOCIETY FOR HEALTH AID EDU.AND RESEARCH
Address(पता**):** DWARKA PH-II SECTOR-18A, DWARKA SECTOR 18 A, DWARKA, 110075
Mobile No. . (मोबाइल**):** 9587788111
Zone/Loc (क्षेत्र / स्थान**):** / Dwarka
Area Code (एरिया कोड**):** A-5
MR Code (एमआर कोड**):** 659/

KNO(केएनओ)**:** 9639527123

Consumer Category(उपभोक्ता श्रेणी)**:** CAT II
Premise Detail (परिसर विवरण)**:** (No of floors-5)
Meter No. (मीटर संख्या)**:** 29700
Meter Type (मीटर का प्रकार**) (DJB/Pvt):** PVT
Bill No. (बिल संख्या)**:** 963194560207
Bill Cycle(बिल चक्र**):** (B12-2025)
Bill Basis(बिल आधार**):** REGULAR

Bill Date(बिल की तिथि)
23-MAR-2026

Bill Amount (Rs.) (बिल राशि (रु))
119965

Bill Amount Payable (Rs.)(देय बिल राशि (रु।))
(Nearest up to Rs. 10) (लगभग 10 रु। तक)
119970

Bill Due Date(बिल देय तिथि)
09-APR-2026

Amount Payable After Due Date(Rs.)
(देय तिथि केबाद देय राशि (रु))
125964

Meter No (मीटर संख्या)	UoM	Current Meter Read (मीटर की वर्तमान रीडिंग)		Previous Meter Read (मीटर की पिछली रीडिंग)		Consumption (खपत)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Days (दिन)	Units (यूनिट)
29700	KL	23-MAR-2026	39154 / OK	23-FEB-2026	38317 / OK	28	837

Bill Details: Current Period Charges (बिल विवरण: वर्तमान अवधि शुल्क) (23-FEB-2026 to 23-MAR-2026)

Applicable Rate Period	Description	Amount(Rs.)
24-FEB-2026 to 23-MAR-2026	Total Consumption Charges	139911.92
24-FEB-2026 to 23-MAR-2026	Service Charge - Consumption > 100 KL	1229.84
24-FEB-2026 to 23-MAR-2026	Sub Total Bill Amount without Meter Rent	141141.76
24-FEB-2026 to 23-MAR-2026	Discount for WH or WWR(10% of Total Water Bill)	-14114.18
24-FEB-2026 to 23-MAR-2026	Discount for both WH & WWR(5% of Total Water Bill)	-7057.09
24-FEB-2026 to 23-MAR-2026	Subtotal Bill Amount	119970.49
	Adjustment Details Are Listed Below	
	**********REBATE SCHEME**********	
	REBATE ON LPSC	0
	PAYABLE AMOUNT TO AVAIL SCHEME	119965

Arrear, If any (Rs.) (बकाया, यदि कोई (रु))	-5.51
Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (रु))	119965
Late Payment Surcharge (Rs.)(देर से भुगतान पर अधिभार) **(5% surcharge will be applicable after due date)**(देय तिथि केबाद 5% अधिभार लागू होगा) 5998.25	**Amount with LPSC after due date (Rs.)** (देय तिथि के बाद अधिभार के साथ राशि (रु) 125964
PAYABLE AMOUNT TO AVAIL REBATE SCHEME (Rs.) (छूट योजना के लिए देय राशि (रु।))	

Bill History (पिछला बिल)

Bill from Date	Bill to Date	Days	Reading	Status	Units	Amount(Rs
23-JAN-2026	23-FEB-2026	31	38317	OK	2545	374495
23-DEC-2025	23-JAN-2026	31	35772	OK	3235	477536
22-NOV-2025	23-DEC-2025	31	32537	OK	2289	336265
28-OCT-2025	22-NOV-2025	25	30248	OK	937	135446
19-SEP-2025	28-OCT-2025	39	29311	OK	1003	142784

Payment History (पिछला भुगतान)

Receipt Id	Amount(Rs)	Date
963767745769	374500.00	09-MAR-2026
963190008587	477540.00	05-FEB-2026
963599843251	336270.00	06-JAN-2026
963531747476	135450.00	06-DEC-2025
963025925646	142780.00	10-NOV-2025

Important Message

"If any officer or official of. DJB demands bribe for any purpose, feel free to contact the Chief Vigilance Officer, Delhi Jal Board, Varunalaya Phase-2, Karol Bugh, New Delhi-110005. Telephone No. 011-23516149."

If bill is not paid till Bill Due Date- connection may be disconnected (यदि बिल देय तिथि तक बिल का भुगतान नहीं किया जाता है- कनेक्शन काट दिया जा सकता है)

For any assistance / query : Please call 1916 or www.djb.gov.in **(**किसी भी सहायता / जानकारी के लिए**: 1916** पर कॉल करें या www.djb.gov.in**पर जाएं)**

Delhi Jal Board
Bill Payment Counter Foil

Cheque / DD should be drawn in favour of DJB in the following format
(चैक / डिमांड ड्राफ्ट द्वारा भुगतान करने केलिए निम्न फार्मेट का उपयोग करें) DJB KNO

KNO(केएनओ)	9639527123	**Name**(नाम)	DIRECTOR,ALL INDIA SOCIETY FOR HEALTH AID EDU.AND RESEARCH	**Bill No.** (बिल संख्या)	963194560207
Bill Date(बिल की तिथि)	23-MAR-2026	**Bill Due Date** (बिल देय तिथि)	09-APR-2026	**Bill Amount (Rs.) (**बिल राशि (रु।)	119965
Bill Amount with LPSC (Rs.):	125964	**Payment Date/** (भुगतान की तारीख)		**Cash/Cheque No./DD No.:**	

(LPSC के साथ बिल राशि (रु।)):	Amount Paid(Rs.) (राशि का भुगतान (रु।)		(कैश / चेक नंबर / डीडी नं .:)
□□□□□□□□□□□□□□□□	Name of Bank / Branch (बैंक / शाखा का नाम)		

Tariff Structure for monthly consumption w.e.f 01-02-2018

Category	Monthly Consumption (KL)	Service Charge (Rs)	Volumetric Charge (Rs. per KL)
Category - I(Domestic)	Up-to 20	146.41	5.27
	20-30	219.62	26.36
	Above 30	292.82	43.93
Category - II(Non-Domestic)	0-6	146.41	17.57
	6-15	292.82	26.35
	15-25	585.64	35.14
	25-50	1024.87	87.85
	50-100	1171.28	140.56
	100-above	1317.69	175.69

Note: To ensure proper implementation of Rain Water Harvesting and Waste Water Recycling norms and incompliance of Building Byelaws, it will be mandatory for plots/properties having area of 100 Sq. Mtrs. or more to have functional Rain Water Harvesting System, even if the property is constructed prior to 28-07-2001. Such plot/property owning consumers would be required to install functional Rain Water Harvesting System and will get rebate on water bill. In case, consumer fail to comply with the aforesaid mandatory provision within the time limit prescribed, the traffic as applicable for respective consumer category will be increased by 1.5 times, till the system is installed and intimated to the respective Zonal Revenue officer. Functionality certificate of RWH need to be given in the month of 'May' of every year in ZRO Office.

Tariff consists of following components:

1. Water-to be measured on volumetric charges of water consumed as reported in meter.
2. Sewerage maintenance charge- @60% of water volumetric consumption charges.
3. Service Charges-Levied on the basis of slab wise consumption.
4. Meter rent in case meter has been provided by DJB.

How to Calculate Bill- Divide the total units consumed by number of days for which bill has been issued and multiply by 30 to give per month average water consumption. Water consumption charge (multiplying monthly charge by the actual period of reading) will be calculated as per tariff for the respective category as mentioned above. Sewerage maintenance charge will be 60% of water consumption charges. Add service charges as per respective category and Consumption slab. It will give you the bill amount

Payment Facilities:

Besides DJB ZRO Offices listed below, consumers can make payment online through e-payment gateways of Axis Bank, Utkarsh Bank, IDBI & Union Bank at Customer portal (www.djb.gov.in) and branches of authorized bank at IDBI Bank. Payment can also be made online through e-wallets, Net Banking, Debit/Credit Card, UPI etc. though any agency under Bharat Bill Payment System (BBPS) viz Paytm, Google Pay, Phone Pay, Amazon Pay, Free charge & other major banks.
Cheque may be issued in favor of "DJB KNO XXXXXXXXXX", where XXXXXXXXXX represent 10-digit of New K. No. of the consumer mentioned on the bill.

Payment may be made through NEFT/RTGS to DJB A/C using Utkarsh Small Finance Bank Limited, Axis Bank Ltd, South Indian Bank Ltd. & IDBI Banks. Please visit Customer portal (www.djb.gov.in) - Pay Online > Pay through NEFT/RTGS for details of beneficiary account.

- For any issue related to reading, billing, the consumer can call **CUSTOMER CARE NUMBER No. 1916-** Extn. 2 and take online complaint No. instantly, Consumer can avail different online facilities regarding New Connection, Mutation, Re-Opening, Disconnection, online payments and register grievances through Customer portal (www.djb.gov.in). Please use your New K.NO for all communication with DJB. Consumer can contact concerned ZRO or his Dy. Director Revenue or Joint Director Revenue to resolve all billing and application regarding New Connection, Mutation, Re-Opening, Disconnection and Payment related grievance at followings:

SL.No	Zone	ZRO Location and Collection Counter	Office No.	SL.No	Zone	ZRO Location and Collection Counter	Office No.
1	NW1	Sultan Puri	25476298	26	CZ2	Pratap Nagar	23692201
2	WZ1	Subhash Nagar	25408765	27	SW3	R K Puram	26193424
3	WZ2	Punjabi Bagh	25223568	28	SZ2	Lajpat Nagar	29814106
4	NW1	Kirari	8920657545	29	SZ3	Greater Kailash	29239668
5	NE1	Shahadara	22591171	30	PP1	MNWS R K Puram	18001024669
6	NE2	Yamuna Vihar	22910491	31	PP1	MNWS Mehrauli	18001024669
7	NE1	GTB Enclave	22571986	32	PP1	MNWS Greater Kailash	18001024669
8	NE3	New Seelam Pur	22182253	33	PP2	MVV R K Puram	18001037232
9	CZ1	Jhandewalan	23612792	34	PP2	MVV Mehrauli	18001037232
10	NW4	Kewal Park	27675270	35	EZ1	Preet Vihar	22444424
11	NZ2	Mukherjee Nagar	27606627	36	EZ2	Shiv Puri	22047239
12	WZ3	Paschim Vihar	25252797	37	EZ2	Yojna Vihar	22158119
12	NZ2	Burari	27613757	38	EZ1	Mayur Vihar	22759551
14	PP3	NWS BHERA ENCLAVE	180030000136	39	EZ1	MANDAWALI	22444424
15	PP3	NWS Mohan Garden	18001020389	40	NW2	Narela	27281673
16	SW1	Kakrola More	8851254848	41	NW2	Rohini	27040004
17	WZ1	Janak Puri	25557475	42	NW3	Kanhaiya Nagar	27395044
18	PP3	Nangloi Water Service	27675270	43	NW3	Ashok Vihar	27301456
19	WZ1	Rajouri Garden	8800233484	44	CZ2	Tibbiya College	23546251
20	SW4	Dwarka	28082442				
21	WZ2	Rajendra Nagar	25724938				
22	SW2	Vasant Kunz	26897787				
23	SZ1	Saket	29561916				
24	SZ2	Giri Nagar	26212219				
25	SZ4	Sarita Vihar	29941159				

Abbreviations on bill:

New Code	Meter Status	New Code	Meter Status
OK	OK	RDDT	Reading Detained
NUW	NO Use Of Water	TEST	Meter Under Testing
PLUG	Plugged	DFMT	Defective Meter
DEM	Demolished	STP	Stopped
PLOC	Premises Locked	MTTM	Meter Tempered
NRES	NO Response	MREV	Meter Reverse
MBUR	Meter Buried	UNMT	Running Unmetered
VMMT	Vapoured/Moistured Meter	BYPS	T-Joint/ByPass
DUST	Dusty Meter	CUT	Meter Cut-Off
MLOC	Meter Locked	ADF	Access Denied/Refused

UOM	Unit Of Measurement

As can be observed from the tariff that Delhi Jal Board emphasizes on the conservation of water and tariff is designed on the principle- 'Use More Pay More'. Hence, consumers are advised to conserve water by:-

1. Plugging all leakages in pipes, joints, taps, overhead tanks etc.
2. To use kitchen waste water for gardening purposes.
3. To wash vehicle etc. by bucket instead of pipe.
4. Install valve before meter and close it when water is not use.
5. Consumers should use MDPE pipes for underground position for carrying portable water.

Note: Payment in respect of New water connection, mutation, disconnection and reopening cases should be made within prescribed time, failure may result in withdrawal of sanction.

Any work on DJB Water & Sewer Lines can be allowed only through Licensed Plumber or Authorized Agency of DJB with prior approval/sanction.

For any issue related to water, contamination, tanker or sewerage consumer can call **CUSTOMER CARE NUMBER No. 1916-** Extn. 1 or visit www.delhijalboard.nic.in

Delhi Jal Board (दिल्ली जल बोर्ड)

(Government of NCT of Delhi)
www.djb.gov.in
Regular Water Bill



Name(नाम**):** VENKATESHWAR CANCER HOSPITAL ASHA
Address(पता**):** VENKATESHWAR CANCER HOSPITAL, AC34, 038-S, DWARKA SECTOR 18 A, DWARKA, 110075
Mobile No. . (मोबाइल**):** 9587788111
Zone/Loc (क्षेत्र / स्थान**):** / Dwarka
Area Code (एरिया कोड**):** A-5
MR Code (एमआर कोड**):** 659/

KNO(केएनओ)**:** 0095210528

Consumer Category(उपभोक्ता श्रेणी)**:** CAT II
Premise Detail (परिसर विवरण)**:** HospitalOrNursing Home(No of floors-10,No of beds-50)
Meter No. (मीटर संख्या)**:** KRANTI
Meter Type (मीटर का प्रकार**) (DJB/Pvt):**
Bill No. (बिल संख्या)**:** 009376257139
Bill Cycle(बिल चक्र**):** ZALL(B12-2025)
Bill Basis(बिल आधार**):** REGULAR

Bill Date(बिल की तिथि)
23-MAR-2026

Bill Amount (Rs.) (बिल राशि (रु))
627

Bill Amount Payable (Rs.)(देय बिल राशि (रु।))
(Nearest up to Rs. 10) (लगभग 10 रु। तक)
630

Bill Due Date(बिल देय तिथि)
09-APR-2026

Amount Payable After Due Date(Rs.)
(देय तिथि केबाद देय राशि (रु))
658

Meter No (मीटर संख्या)	UoM	Current Meter Read (मीटर की वर्तमान रीडिंग)		Previous Meter Read (मीटर की पिछली रीडिंग)		Consumption (खपत)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Days (दिन)	Units (यूनिट)
KRANTI	KL	23-MAR-2026	2346 / OK	23-FEB-2026	2333 / OK	28	13

Bill Details: Current Period Charges (बिल विवरण: वर्तमान अवधि शुल्क) (23-FEB-2026 to 23-MAR-2026)

Applicable Rate Period	Description	Amount(Rs.)
24-FEB-2026 to 23-MAR-2026	Total Consumption Charges	293.38
24-FEB-2026 to 23-MAR-2026	Sewerage Charge (60 % of Water Consumption Charge)	176.03
24-FEB-2026 to 23-MAR-2026	Service Charge - Consumption between 6-15 KL	273.30
24-FEB-2026 to 23-MAR-2026	Sub Total Bill Amount without Meter Rent	742.71
24-FEB-2026 to 23-MAR-2026	Discount for WH or WWR(10% of Total Water Bill)	-74.27
24-FEB-2026 to 23-MAR-2026	Discount for both WH & WWR(5% of Total Water Bill)	-37.14
24-FEB-2026 to 23-MAR-2026	Subtotal Bill Amount	631.30
	Adjustment Details Are Listed Below	
	**********REBATE SCHEME**********	
	REBATE ON LPSC	0
	PAYABLE AMOUNT TO AVAIL SCHEME	626

Arrear, If any (Rs.) (बकाया, यदि कोई (रु))		-5.08
Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (रु))		627
Late Payment Surcharge (Rs.)(देर से भुगतान पर अधिभार**)** **(5% surcharge will be applicable after due date)**(देय तिथि केबाद 5% अधिभार लागू होगा)	31.31	**Amount with LPSC after due date (Rs.)** (देय तिथि के बाद अधिभार के साथ राशि (रु) 658
PAYABLE AMOUNT TO AVAIL REBATE SCHEME (Rs.) (छूट योजना के लिए देय राशि (रु।))		

Bill History (पिछला बिल)

Bill from Date	Bill to Date	Days	Reading	Status	Units	Amount(Rs
23-JAN-2026	23-FEB-2026	31	2333	OK	57	6105
23-DEC-2025	23-JAN-2026	31	2276	OK	131	21705
22-NOV-2025	23-DEC-2025	31	2145	OK	98	13949
28-OCT-2025	22-NOV-2025	25	2047	OK	23	1771
19-SEP-2025	28-OCT-2025	39	2024	OK	12	660

Payment History (पिछला भुगतान)

Receipt Id	Amount(Rs)	Date
009726414058	6110.00	09-MAR-2026
009969839844	21710.00	05-FEB-2026
009625171324	13950.00	06-JAN-2026
009802923068	1770.00	06-DEC-2025
009310952091	660.00	10-NOV-2025

Important Message

"If any officer or official of. DJB demands bribe for any purpose, feel free to contact the Chief Vigilance Officer, Delhi Jal Board, Varunalaya Phase-2, Karol Bugh, New Delhi-110005. Telephone No. 011-23516149."

If bill is not paid till Bill Due Date- connection may be disconnected (यदि बिल देय तिथि तक बिल का भुगतान नहीं किया जाता है- कनेक्शन काट दिया जा सकता है)

For any assistance / query : Please call 1916 or www.djb.gov.in **(**किसी भी सहायता / जानकारी के लिए**: 1916** पर कॉल करें या www.djb.gov.inपर जाएं**)**

Delhi Jal Board
Bill Payment Counter Foil

Cheque / DD should be drawn in favour of DJB in the following format
(चैक / डिमांड ड्राफ्ट द्वारा भुगतान करने केलिए निम्न फार्मेट का उपयोग करें) DJB KNO

KNO(केएनओ)	0095210528	**Name**(नाम)	VENKATESHWAR CANCER HOSPITAL ASHA	**Bill No.** (बिल संख्या)	009376257139
Bill Date(बिल की तिथि)	23-MAR-2026	**Bill Due Date** (बिल देय तिथि)	09-APR-2026	**Bill Amount (Rs.) (**बिल राशि (रु।)	627
Bill Amount with LPSC (Rs.): (LPSC के साथ बिल राशि **(**रु।**)):**	658	**Payment Date/** (भुगतान की तारीख)		**Cash/Cheque No./DD No.: (**कैश / चेक नंबर / डीडी नं **.:)**	
		Amount Paid(Rs.) (राशि का भुगतान (रु।)			

□□□□□□□□□□□□□□□□	**Name of Bank / Branch (**बैंक / शाखा का नाम)		

Tariff Structure for monthly consumption w.e.f 01-02-2018

Category	Monthly Consumption (KL)	Service Charge (Rs)	Volumetric Charge (Rs. per KL)
Category - I(Domestic)	Up-to 20	146.41	5.27
	20-30	219.62	26.36
	Above 30	292.82	43.93
Category - II(Non-Domestic)	0-6	146.41	17.57
	6-15	292.82	26.35
	15-25	585.64	35.14
	25-50	1024.87	87.85
	50-100	1171.28	140.56
	100-above	1317.69	175.69

Note: To ensure proper implementation of Rain Water Harvesting and Waste Water Recycling norms and incompliance of Building Byelaws, it will be mandatory for plots/properties having area of 100 Sq. Mtrs. or more to have functional Rain Water Harvesting System, even if the property is constructed prior to 28-07-2001. Such plot/property owning consumers would be required to install functional Rain Water Harvesting System and will get rebate on water bill. In case, consumer fail to comply with the aforesaid mandatory provision within the time limit prescribed, the traffic as applicable for respective consumer category will be increased by 1.5 times, till the system is installed and intimated to the respective Zonal Revenue officer. Functionality certificate of RWH need to be given in the month of 'May' of every year in ZRO Office.

Tariff consists of following components:

1. Water-to be measured on volumetric charges of water consumed as reported in meter.
2. Sewerage maintenance charge- @60% of water volumetric consumption charges.
3. Service Charges-Levied on the basis of slab wise consumption.
4. Meter rent in case meter has been provided by DJB.

How to Calculate Bill- Divide the total units consumed by number of days for which bill has been issued and multiply by 30 to give per month average water consumption. Water consumption charge (multiplying monthly charge by the actual period of reading) will be calculated as per tariff for the respective category as mentioned above. Sewerage maintenance charge will be 60% of water consumption charges. Add service charges as per respective category and Consumption slab. It will give you the bill amount

Payment Facilities:

Besides DJB ZRO Offices listed below, consumers can make payment online through e-payment gateways of Axis Bank, Utkarsh Bank, IDBI & Union Bank at Customer portal (www.djb.gov.in) and branches of authorized bank at IDBI Bank. Payment can also be made online through e-wallets, Net Banking, Debit/Credit Card, UPI etc. though any agency under Bharat Bill Payment System (BBPS) viz Paytm, Google Pay, Phone Pay, Amazon Pay, Free charge & other major banks.
Cheque may be issued in favor of "DJB KNO XXXXXXXXXX", where XXXXXXXXXX represent 10-digit of New K. No. of the consumer mentioned on the bill.

Payment may be made through NEFT/RTGS to DJB A/C using Utkarsh Small Finance Bank Limited, Axis Bank Ltd, South Indian Bank Ltd. & IDBI Banks. Please visit Customer portal (www.djb.gov.in) - Pay Online > Pay through NEFT/RTGS for details of beneficiary account.

- For any issue related to reading, billing, the consumer can call **CUSTOMER CARE NUMBER No. 1916-** Extn. 2 and take online complaint No. instantly, Consumer can avail different online facilities regarding New Connection, Mutation, Re-Opening, Disconnection, online payments and register grievances through Customer portal (www.djb.gov.in). Please use your New K.NO for all communication with DJB. Consumer can contact concerned ZRO or his Dy. Director Revenue or Joint Director Revenue to resolve all billing and application regarding New Connection, Mutation, Re-Opening, Disconnection and Payment related grievance at followings:

SL.No	Zone	ZRO Location and Collection Counter	Office No.	SL.No	Zone	ZRO Location and Collection Counter	Office No.
1	NW1	Sultan Puri	25476298	26	CZ2	Pratap Nagar	23692201
2	WZ1	Subhash Nagar	25408765	27	SW3	R K Puram	26193424
3	WZ2	Punjabi Bagh	25223568	28	SZ2	Lajpat Nagar	29814106
4	NW1	Kirari	8920657545	29	SZ3	Greater Kailash	29239668
5	NE1	Shahadara	22591171	30	PP1	MNWS R K Puram	18001024669
6	NE2	Yamuna Vihar	22910491	31	PP1	MNWS Mehrauli	18001024669
7	NE1	GTB Enclave	22571986	32	PP1	MNWS Greater Kailash	18001024669
8	NE3	New Seelam Pur	22182253	33	PP2	MVV R K Puram	18001037232
9	CZ1	Jhandewalan	23612792	34	PP2	MVV Mehrauli	18001037232
10	NW4	Kewal Park	27675270	35	EZ1	Preet Vihar	22444424
11	NZ2	Mukherjee Nagar	27606627	36	EZ2	Shiv Puri	22047239
12	WZ3	Paschim Vihar	25252797	37	EZ2	Yojna Vihar	22158119
12	NZ2	Burari	27613757	38	EZ1	Mayur Vihar	22759551
14	PP3	NWS BHERA ENCLAVE	180030000136	39	EZ1	MANDAWALI	22444424
15	PP3	NWS Mohan Garden	18001020389	40	NW2	Narela	27281673
16	SW1	Kakrola More	8851254848	41	NW2	Rohini	27040004
17	WZ1	Janak Puri	25557475	42	NW3	Kanhaiya Nagar	27395044
18	PP3	Nangloi Water Service	27675270	43	NW3	Ashok Vihar	27301456
19	WZ1	Rajouri Garden	8800233484	44	CZ2	Tibbiya College	23546251
20	SW4	Dwarka	28082442				
21	WZ2	Rajendra Nagar	25724938				
22	SW2	Vasant Kunz	26897787				
23	SZ1	Saket	29561916				
24	SZ2	Giri Nagar	26212219				
25	SZ4	Sarita Vihar	29941159				

Abbreviations on bill:

New Code	Meter Status	New Code	Meter Status
OK	OK	RDDT	Reading Detained
NUW	NO Use Of Water	TEST	Meter Under Testing
PLUG	Plugged	DFMT	Defective Meter
DEM	Demolished	STP	Stopped
PLOC	Premises Locked	MTTM	Meter Tempered
NRES	NO Response	MREV	Meter Reverse
MBUR	Meter Buried	UNMT	Running Unmetered
VMMT	Vapoured/Moistured Meter	BYPS	T-Joint/ByPass
DUST	Dusty Meter	CUT	Meter Cut-Off
MLOC	Meter Locked	ADF	Access Denied/Refused

UOM	Unit Of Measurement

As can be observed from the tariff that Delhi Jal Board emphasizes on the conservation of water and tariff is designed on the principle- 'Use More Pay More'. Hence, consumers are advised to conserve water by:-

1. Plugging all leakages in pipes, joints, taps, overhead tanks etc.
2. To use kitchen waste water for gardening purposes.
3. To wash vehicle etc. by bucket instead of pipe.
4. Install valve before meter and close it when water is not use.
5. Consumers should use MDPE pipes for underground position for carrying portable water.

Note: Payment in respect of New water connection, mutation, disconnection and reopening cases should be made within prescribed time, failure may result in withdrawal of sanction.

Any work on DJB Water & Sewer Lines can be allowed only through Licensed Plumber or Authorized Agency of DJB with prior approval/sanction.

For any issue related to water, contamination, tanker or sewerage consumer can call **CUSTOMER CARE NUMBER No. 1916-** Extn. 1 or visit www.delhijalboard.nic.in

ANNEXURE-V
COPY OF BMW DISPOSAL AGREEMENT

सत्यमेव जयते

INDIA NON JUDICIAL

Government of National Capital Territory of Delhi

₹50

e-Stamp

₹50₹50₹50₹50

Certificate No.	:	IN-DL89353822034907X
Certificate Issued Date	:	23-May-2025 04:41 PM
Account Reference	:	IMPACC (IV)/ dl782403/ DELHI/ DL-CTD
Unique Doc. Reference	:	SUBIN-DLDL78240317459773940077X
Purchased by	:	SMS WATER GRACE BMW PVT LTD
Description of Document	:	Article 5 General Agreement
Property Description	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	SMS WATER GRACE BMW PVT LTD
Second Party	:	VENKATESHWAR HOSPITAL
Stamp Duty Paid By	:	SMS WATER GRACE BMW PVT LTD
Stamp Duty Amount(Rs.)	:	50 (Fifty only)

सत्यमेव जयते

₹50

IN-DL89353822034907X

This Agreement is made and executed at New Delhi on this 23rd day of May, 2025.

BY AND BETWEEN

M/s SMS WATER GRACE BMW PVT. LTD., having its office at Sewage Treatment Plant, Delhi Jal Board Complex, Nilothi, New Delhi- 110041 (hereinafter referred to as '**Service Provider**', which expression, unless the context provides otherwise, shall mean and include its legal heirs, successors, legal representatives, administrators, executors and permitted assignees) through its AGM, Mr. Prabal Pratap Singh Jadon, to enter into and sign this agreement for and on behalf of the Service Provider of the **ONE PART**.

Gunjan Sinha
Chief Operating Officer
Venkateshwar Hospital

Grace BMW Pvt. Ltd.

Statutory Alert:
1. The authenticity of this Stamp certificate should be verified at "www.shcilestamp.com" or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

Scanned with CamScanner

AND

Venkateshwar Hospital (A unit of All India Society for Health Aid and Research), Sector 18A, Dwarka, New Delhi through its Authorized Representative **Ms. Gunjan Sinha** (hereinafter referred to as "**Waste Generator**", which expression, unless the context provides otherwise, shall mean and include its legal heirs, successors, legal representatives, administrators, executors and permitted assignees)of the **OTHER PART.**

*For the purpose of this Agreement, Service Provider and Waste Generator shall be individually referred to as the "**Party**" and collectively as "**Parties**".*

RECITALS:

A. Whereas the Service Provider has been selected by Director of Health Services (DHS), Health & Family Welfare, Govt. Of N.C.T. of Delhi and duly authorized by the Delhi Pollution Control Committee(DPCC), under Rule 8(4) of the Bio-Medical Waste Management Rules 2016 for the purpose of operating and providing facility for collection, reception, treatment, storage, transportation, disposal and handling of the bio- medical waste.
B. Whereas the Waste Generator is a multi-specialty hospital situated at Sector – 18, Dwarka, New Delhi – 110075, with state-of-the-art technologies ("**Hospital**").
C. The Waste Generator is desirous of out-sourcing the disposal of its bio-medical waste as generated from its Hospital and have approached the Service Provider for providing its service in this regard on the basis of the representations made by the Service Provider.
D. After discussions and due negotiations between the Parties, both the Parties have agreed to enter into this Agreement on the terms and conditions narrated herein after.

NOW THIS AGREEMENT witnessed the following terms & conditions to be performed by both the Parties to the present Agreement.

I. PURPOSE OF THIS AGREEMENT

1.1 The Waste Generator wishes to engage the Service Provider to collect and dispose-off its bio-medical waste generated from its Hospital premises on the basis of the representations of the Service Provider.

1.2 The Service Provider undertakes to provide its services including collection, reception, transportation, treatment, storage, disposal and handling, with respect to the bio-medical waste generated from the Hospital, in accordance with all applicable laws, rules, regulations, etc. ("**Services**").

II. DUTIES& OBLIGATIONS OF THE PARTIES

2.1 The Waste Generator will segregate, pack and label the bio-medical waste in the colour coded bags from the waste generation points in the Hospital as per the guidelines laid down under the Bio-Medical Waste (Management &

Gunjan Sinha
Chief Operating Officer
Venkateshwar Hospital
Sector-18A, Dwarka, New Delhi-110075

Water Grace BMW Pvt. Ltd.

Scanned with CamScanner

Handling) Rules 2016, as amended and keep the said packed waste ready for collection by the staff of the Service Provider.

2.2 The record of the collected waste shall be maintained by the Waste Generator with the acknowledgement signatures of the collection staff of the Service Provider to submit the annual report to the concerned Pollution Board in the prescribed format.

2.3 Upon receipt of the Agreement, the Service Provider shall submit a copy of the Agreement with the date of the expiry of the service to the concerned Pollution Control Committee /Board.

2.4 The Service Provider agrees and undertakes to have all relevant consent(s), authorization(s), licenses, permissions, etc. as required under all applicable laws, rules, regulations, etc. to fulfill its obligations under this Agreement.

2.5 The Service Provider shall take necessary steps to ensure that the bio-medical waste collected from the Waste Generator is transported, handled, stored, treated and disposed-off, without any adverse effect to human health and the environment, in accordance with the applicable laws, rules, regulations etc. issued by the appropriate authority from time to time;

2.6 The Service Provider shall ensure timely collection of bio-medical waste from the Hospital premises of the Waste Generator as prescribed under the Bio-Medical Waste (Management & Handling) Rules 2016, as amended and as mutually agreed between the Parties.

2.7 The Service Provider shall handle the bio-medical waste with GPS enabled vehicles and shali use waste generator imply bar coding and global positioning system to weigh the waste.

2.8 The Service Provider undertakes to ensure that all its workers/ personnel are trained in handling of bio-medical waste in accordance with applicable laws, rules, regulations, etc.

2.9 The Service Provider shall assist the Waste Generator in training(s) conducted by the Waste Generator for its personnel for the storage and management of bio-medical waste in the Hospital and such training sessions would not be chargeable by the Service Provider from the Waste Generator.

2.10 The Service Provider undertakes that its workers/ personnel involved in handling bio-medical waste from the Hospital are provided appropriate and adequate personal protective equipment for their occupational safety.

2.11 The Service Provider shall allow the Waste Generator to see and verify whether the treatment is carried out as per the provisions of the Bio-Medical Waste (Management & Handling) Rules 2016, as amended, anytime during the Term of this Agreement.

2.12 The Service Provider shall supply non-chlorinated plastic coloured bags to the Waste Generator, as mutually agreed between the Parties.

2.13 The Service Provider shall transport the bio-medical waste from the Hospital premises only in the vehicles having label as per the provisions of the Bio-Medical Waste (Management & Handling) Rules 2016, as amended. The said

Gunjan Sinha
Chief Operating Officer
Venkateshwar Hospital
Sector-18A, Dwarka, New Delhi-110075

Water Grace BMW Pvt. Ltd. SMS

Scanned with CamScanner

vehicles which shall be used by the Service Provider for transportation of bio-medical waste shall comply with the conditions, if any, stipulated by the State Pollution Control Board or Pollution Control Committee in addition to the requirement contained in the Motor Vehicles Act, 1988 (59 of 1988), if any or the rules made there under for transportation of such infectious waste.

2.14 It is clearly understood that the Service Provider shall be solely responsible for any remuneration, welfare, compensation, employees' provident fund or any such allied and related payments and/or claims, arising out of or related to, any contractual or legal obligation as raised by its employees / personnel / agents / representatives / staff that are working / visiting / stationed at the Hospital for providing the services to the Waste Generator.

2.15 The Service Provider undertakes that it shall not, in any manner whatsoever use the trademark, name, mark or logo of the Waste Generator or any abbreviation of the name of the Waste Generator for its private advantage or otherwise.

2.16 Both the Parties shall strictly follow and adhere to the guidelines under the Bio-Medical Waste (Management & Handling) Rules 2016, as amended, during generation, segregation, collection, transportation, disposal and management of the Bio- Medical Waste except due to the circumstances under the force majeure events and the circumstances beyond the control of the Parties.

2.17 The Service Provider undertakes to adhere to all the applicable internal policies of the Waste Generator while fulfilling its obligations under this Agreement.

III. PAYMENT TERMS

3.1 The Service Provider will charge the Waste Generator, being a Hospital (having bed facilities) as per the following schedule of rates:

(i) Minimum charges of **Rs.38,086/-(Rupees Thirty Eight Thousand Eighty Six Only)** for clinic/labs/ladies hostels/Diagnostic Center/hospitals (Beds **251**) subject to a maximum collection of waste will be unlimited. The service tax shall be borne by the Waste Generator upon the respective invoices being raised by the Service Provider for the services provided to the Waste Generator.

(ii) The rates enumerated in clause 3.1(i) hereinabove may be varied at any given point of time due to hike in fuel price, wages for labour, negotiation with any unanimous body i.e. DMA/IMA at District or state level or any other factor which may affect the cost.

3.2 The Waste Generator undertakes to make the payment through 'Account Payee Cheque or Demand Draft' in favour of the M/s SMS WATER GRACE BMW PVT. LTD.

3.3 The payment shall be made by the Waste Generator in one month from the date of receipt of the undisputed bill by it.

3.4 All the applicable taxes, such as GST, etc., shall be paid and borne by the Waste Generator. All payments which shall be made by the Waste Generator shall be subject to Tax Deducted at Source (TDS).

Gunjan Sinha
Chief Operating Officer
Venkateshwar Hospital
Sector-18A, Dwarka, New Delhi-110075

SMS Water Grace BMW Pvt. Ltd.

Scanned with CamScanner

IV. TERM AND TERMINATION

4.1 The term of this Agreement shall commence on **15.07.2025** and shall remain into existence till **14.07.2026** ("**Term**"). This Agreement shall be extended for a period of one (1) year upon written notice of one Party to the other Party for the purpose of renewal of the term of this Agreement.

4.2 This Agreement may be terminated by either Party by giving 30 days written notice to the other Party.

4.3 Upon expiry of the Term or the earlier termination of this Agreement, the accounts shall be amicably reconciled between the Parties.

V. NOTICE

5.1 Any notice, request, demand, consent or other communications required or permitted under this Agreement shall be in writing and shall be given by delivery (including courier, registered post), electronic mail addressed to the Party for which it is intended at the address given below and shall be deemed to be given on the day of delivery or transmission if during normal business hours, or, if after business hours, on the next following day, or if mailed by electronic mail, on the day which is seven (7) days after such notice is mailed during normal postal conditions. In the event of a postal disruption, any notice mailed will be deemed received on the seventh (7th) day following resumption of regular postal service:

If to the Service Provider
Kind attn: Mr. Prabal Pratap Singh Jadon
Address: Sewage Treatment Plant, Delhi Jal Board Complex,
New Delhi-110041
Email: prabal.singh@smsl.co.in

If to the Waste Generator
Kind attn:
Address:
Email:

5.2 Either Party may change its address for notices and other communications upon notice to the other Party in the manner aforesaid.

VI. RELATIONSHIP BETWEEN THE PARTIES

6.1 It is hereby agreed that Waste Generator and the Service Provider are independent contractors, and nothing in this Agreement will create any partnership, joint venture, agency, franchise, sales representative, or employment relationship between them. The Service Provider shall have no

Gunjan Sinha
Chief Operating Officer
Venkateshwar Hospital
Sector-18A, Dwarka, New Delhi-110075

SMS Water Grade BMW Pvt. Ltd.

Scanned with CamScanner

authority to make or accept any offers or representations on behalf of Waste Generator.

VII. INDEMNITY

7.1 The Service Provider shall defend, indemnify and hold the Waste Generator and its directors, officers, employees, agents, sub-contractors etc. harmless from and against, any and all suits, actions and proceedings, claims, liabilities, losses, damages, costs and expenses arising directly or indirectly in connection with (i) violation of any applicable law, rule, regulations, etc. including but not limited to the provisions under the Bio-Medical Waste (Management & Handling) Rules 2016, as amended; or (ii) due to breach of any of its obligations or representations made hereunder, by itself or its directors, officers, employees, agents, etc.

7.2 The obligations under this clause shall survive the termination or expiry of this Agreement.

VIII. JURISDICTION AND GOVERNING LAW

8.1 This Agreement shall be governed and construed by the laws of India with the courts at Delhi, having exclusive jurisdiction to try, entertain and dispose any dispute between the Parties thereto.

IX. DISPUTE RESOLUTION

9.1 Each Party agrees to use their reasonable efforts to informally resolve, where possible, any dispute, difference, claim, demand or controversy arising out of the performance of this Agreement by mutual negotiation and cooperation. In the event that the Parties are unable to informally resolve any dispute, difference, claim, demand, controversy or cause of action within thirty (30) days from the date of receipt of a notice regarding such a dispute, claim or demand by one Party from the other, the Parties agree to settle it by arbitration proceedings in accordance with Indian Arbitration and Conciliation Act, 1996, as amended. The arbitral tribunal shall comprise of one sole arbitrator duly appointed by the Parties. The seat of arbitration shall be at Delhi and the arbitral proceedings shall be conducted in English language only. The award shall be binding on the Parties and the cost of arbitration shall be shared equally by the Parties or as otherwise decided by the sole arbitrator.

Gunjan Sinha
Chief Operating Officer
Venkateshwar Hospital
Sector-18A, Dwarka, New Delhi-110075

SMS Water Grace BMW Pvt. Ltd.

Scanned with CamScanner

9.2 The obligations under this clause shall survive the termination or expiry of this Agreement.

X. MISCELLANEOUS

10.1 Each Party hereto represents and warrants to each other that it has the authority to enter into this Agreement, and the respective signatories, by executing this Agreement, warrant that they have the authority to bind the respective Parties.

10.2 In case there is any change in the constitution of either Party, the same shall be informed forthwith to the other Party vide a written notice.

10.3 The Service Provider undertakes that its directors, employees, personnel, affiliates, etc. shall not, during or subsequent to this Agreement use any information of the Waste Generator including but not limited to commercial, technical and medical information as well as any other information related to the services to be provided under this Agreement, employees, patients, visitors, business and other information, whether labelled or not as "Confidential" by the Waste Generator or accessible to or provided to the Service Provider or its staff (hereinafter referred to as "**Confidential Information**") for any purpose whatsoever other than the performance of the services on behalf of Waste Generator or disclose the same to any third party. The obligations under this clause shall survive the termination or expiration of this Agreement.

10.4 The Service Provider shall not assign this Agreement or any part thereof to any third party.

10.5 This Agreement shall not be varied, amended or modified by any of the Parties in any manner, whatsoever, unless such variation, amendment or modification is mutually discussed and agreed to in writing and duly executed by both the Parties.

10.6 If any term or provision of this Agreement should be declared invalid or void by a court of competent jurisdiction, the remaining terms and provisions of this Agreement shall subsist unimpaired.

Gunjan Sinha
Chief Operating Officer
Venkateshwar Hospital
Sector-18A, Dwarka, New Delhi

SMS Water Grade BMW Pvt. Ltd.

Scanned with CamScanner

IN WITNESS WHEREOF, THE PARTIES HERE TO HAVE SET THERE SIGNATURE AND SEAL ON THE DAY AND YEAR MENTIONED HEREIN ABOVE.

VENKATESHWAR HOSPITAL

AUTHORIZED SIGNATORY

Gunja
Chief Opera.
Venkateshwar
Sector-18A, Dwarka, New .

Address:
Venkateshwar Hospital
Sector-18A, Dwarka
New Delhi

Gunjan Sinha
Chief Operating Officer
Venkateshwar Hospital
Sector-18A, Dwarka, New Delhi-110075

Witness – H.C.E.
1.

SMS WATER GRACE BMW PVT. LTD.

SMS Water Grace BMW Pvt. Ltd.

AUTHORIZED SIGNATORY

Sewage Treatment Plant,
Delhi Jal Board Complex
New Delhi-110041
Ph: +91- 8744076042
Email: prabal.singh@smsl.co.in
Web : www.smsdelhibmw.co.in

Witness:- SMSWGBMWPL
1.

Scanned with CamScanner

ANNEXURE-VI

COPY OF USED OIL AGREEMENT

NEW LUBRISALES INDIA PVT LTD

SHYAM DASS
STAMP VENDOR
GURGAON
03 MAY 2025
SPECIAL ADHESIVE Sr. No. 2384
SPECIAL ADHESIVE Purpose
Signature

AGREEMENT FOR SAFELY DISPOSAL OF HAZARDOUS WASTE (USED LUBE OIL)

This agreement is made and executed at Rajasthan 1st November 2025.

By and Between:

M/s Venkateshwar Hospital Sector 18A Dwarka, New Delhi - 110075, Thereinafter referred to as the **'First Party'**] which expression shall unless repugnant to the context or meaning hereof mean and include its representative, successors in interest, executors, administrators, liquidators and permitted assigns], through its duly **Mr. Mirtunjay Kumar** of the one part

And

M/s NEW LUBRI SALES (India) PVT LTD, F – 192 RIICO Industrial Area Khushkhera , Bhiwadi , Rajasthan having Registration No - RPCB/HWM/2023-2024- HSW/HSW/62 Dated 01.08.2023. hereinafter referred to as the "**Second Party**", which expression shall, unless repugnant to the context or meaning hereof, mean and include its representatives, successors in interest, executors, administrators, liquidators and permitted assigns], through its duly Authorized Signatory **Mr. Nishant Bansal,** of the **other part**;

(The above mentioned Parties to this agreement shall also be collectively referred to as "**Parties**" and individually as "**Party**").AND WHEREAS the Second Party has represented that they are the authorized, registered and licensed under State Pollution Control Board and have a cost effective organization of Hazardous Waste to safely dispose generated waste oil and has requested to purchase the Used Lube Oil from the first party and First Party has accepted the request of Second Party on the terms and conditions set forth in this agreement. AND WHEREAS it is deemed expedient to record the terms and conditions between the parties in this Agreement.

LUBRISALES INDIA PVT LTD

NOW THIS AGREEMENT WITNESSETH AND IT IS HEREBY AGREED, DECLARED COVENANTED AND RECORDED BY AND BETWEEN THE PARTIES HERETO AS FOLLOWS.

1. That the First Party has agreed to engage Second Party on terms and conditions contained hereinafter for selling used lube oil from First Party.
2. That Second Party will purchase the used oil from first parties as mentioned above sites at rates mentioned in this agreement.
3. That Second Party shall use its best skills and judgments and shall perform all services timely, diligently and to the reasonable clarification of the First Party in a whole.
4. That the Second Party shall provide the service diligently and in conformity with the applicable laws and regulations. Second Party shall carry out the service in under the supervision of employees of First Party.
5. That the services to be provided by the Second Party are detailed in this agreement. However it is expressly understood between the parties that scope of work is only indicative of the services to be provided by Second Party and not an exhaustive list of the services to be provided by Second Party and the First Party will be entitled to add more service in the scope of work.
6. That Second Party undertakes to fulfill all the formalities and requirements of Government of India, Ministry of Environment and Forest and CPCB and other authorities.
7. That the Second Party will be responsible for collection of used oil at price indicated against each item hereunder.

THAT THE SCOPE OF WORK WILL BE AS UNDER:

1. That used oil will be sold to second party under the supervision of representative of First Party.
2. That the representative of the First Party shall observe the loading of the vehicle when used oil is taken from the Second Party. In Such case Second Party representative will accompany the truck during the time it is lifted from the sites.
3. That the clearance of the paper such as gate pass will be provided by the First Party.
4. That at the disposal site, waste will be stored as per the categorization and adequately segregated. All precautions shall be taken to avoid spillage of any kind and leaching to the soil. The Second Party shall ensure that the people handling hazardous waste have adequate training and knowledge of type of hazardous waste being handled.
5. The Second Party shall ensure that the vehicle for transportation of hazardous is in perfect condition and the driver has valid driving license and other permission and necessary papers. If any of the transport is approved by State Pollution Control Board is there, then vehicle will be arranged from the transporting agency only.
6. That the Second Party will ensure that before loading all hazardous waste containers are labeled (as per form-8 of the rule).

LUBRISALES INDIA PVT

7. That If any material is found to be taken out by Second Party except permitted than First Party have the sole right to cancel the agreement with immediate effect. The case will be handed over to First Party's Legal Staff for future action

THAT THE SECOND PARTY UNDERTAKES AS UNDER:

1. That the Second Party represents that they have the specialization to handle Hazardous Waste, used oil and permission under Applicable Rule i.e. Hazardous Waste (Management and Handling) Rules 1989 Amended 2016.
2. That the Second Party will ensure that the hazardous waste will be Loaded stored and copy of TERM card (as per Form-9 of the above mentioned Rule) be given. In case of any doubt, concern First Party's Officials may be asked for the clarification.
3. That the Second Party will produce consent from respective State Pollution Control Board (From –2) and the approval of the disposal site from Ministry of Environment & Forest.
4. That the First Party will receive the 7 copies of manifest from the Second Party as per from 10 of the above mentioned rule.

- Copy 1 (White) To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.
- Copy 2 (Yellow) To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter.
- Copy 3 (Pink) To be retained by the receiver (actual user or treatment storage and disposal facility operator) after receiving the waste and the remaining four copies are to be duly signed by the receiver.
- Copy 4 (Orange) To be handed over to the transporter by the receiver after accepting waste.
- Copy 5 (Green) To be sent by the receiver to the State Pollution Control Board.
- Copy 6 (Blue) To be sent by the receiver to the sender.
- Copy 7 (Grey) To be sent by the receiver to the State Pollution Control Board of the sender in case the sender is in another State.

5. That the Second Party undertakes to indemnify and keep indemnified the First Party in case of any misuse, mishandling, pilferage or spill over of the hazardous waste by the Second Party, its employee, agents and / or any Authorized person thereof resulting in any penalty, liability and damages under any rule, regulation, Acts, Notification imposed by the authority concerned.

THAT THE PAYMENTS TERMS WILL BE AS UNDER:

1. The respective rates for used oil, payable by Second Party shall be as follows:-

S. No.	Description	UOM	Unit Rates
1.	Used Oil With Drum With GST	Per Drum (220 ltr)	Rs 28/per Ltr 350/-

a. All taxes excise duties, sales taxes, wherever applicable is mentioned in net prices.

b. All Payments to be made in advance through Cheque/ Pay Order Deposit.

c. The transportation and any other cost required for used oil collection will be borne by Second Party

THAT THE DURATION OF AGREEMENT WILL BE AS UNDER:

This agreement shall be affective for a period of Two year and commenced from 1ST November 2025 to 31st October 2027.

M/s Venkateshwar Hospital	M/s New LubriSales India Pvt. Ltd.
PARTICULARS OF SIGNATORY **Mr. Mirtunjay Kumar** **Auth. Signatory**	**PARTICULARS OF SIGNATORY** **Mr. Nishant Bansal** **Auth. Signatory**

ANNEXURE-VII
COPY OF ELECTRICITY BILL

Date of Print Out: 14.04.2026

Bill of Supply for Electricity[Amended]

GSTIN : 07AAGCS3187H2Z3

BSES Rajdhani Power Ltd.

EBILL Customer

Name : All India Soc For Health & Edu & Res.

Billing Address : Sec-18 A Ph-II, Dwarka . . NEW DELHI 110075

Supply Address : Sec-18 A Ph-II, Dwarka . . NEW DELHI 110075

Due Date: --

Sanctioned Load	:3283.00 (kVA)
Contract Demand	:1970.00 (kVA)
M D I	:1440.00 (kVA)
Power Factor	: .983
Pole No.	:DWKNHT00S1
Meter Reading Status	:DL
Cycle No.	:KG

CA No.	**:151352374**
Energisation Date	:18.03.2016
Meter Type	:3PSK [VNM-S]
Supply Type	:HT(11KV)
Bill No.	:10006905493
Bill Basis	:Actual
O.D. No.	:R/26/10540090507
CCTV Tagged	:No
Street Light Tagged	:No
WI-FI Tagged	:No

Mobile / Tel. No.	:72******10
Email ID	:s**********l@venkateshwarhospitals.com
District / Division	:Dwarka
Walking Sequence	:DWKKC
Bill Month	:APR-26
Bill Date	:08-04-2026

Tariff Category :Large Industrial Power

Customer Care Centre No. 19123 (24x7 Toll Free)

Meter Details in Annexure

Billing Details

Current Period Charges (02-03-2026 to 01-04-2026)

ed Charges	Slab-wise Energy Charges				Slab-wise FPA/PPA		TOD		Srch@8% on (E= A+B+D+R)	Elec.tricity Tax @ 5% (H)	Total Amount (A+B+C+D+E+F+G+H+I+J)
	Cons. Measrd During	Billed Units	Unit Rate	Amount(B)	PPAC% on B	Amount(C)	TOD% on B	Surg/Rebt. Amount (D)			
493029.57	NORMAL(W)	486517.00	8.50	4135394.50	5.76	238198.72			371045.72	307612.95	5673194.86
1.00 Mth(s)	NORMAL(S)	16217.00	8.50	137844.50	5.76	7939.84					
									Pension Surcharge @7% (F)		
PPAC on Fix Chg(G)									324665.00		
28398.50									TCS Amount (I)		
									Base Amt.	Surcharge	
CCTV Units									0.00	0.00	
0.00									Other Charges (J)*		
Street Light Units									(370934.44)		
	TOTAL ->	502734		4273239.00		246138.56			CCTV Bill Amount		
WI-FI Units									0.00		

Past Dues / Refunds / Subsidy

Provisional Bill Refunds		Arrears		Late Payment Surcharge (LPSC)	Total Charges Payable	Rebate(R) / Subsidy*	Net Amount Payable
Refund Unit	Refund Amount	Amount	Period to which it relates				
0	0.00	0.00		0.00	5673194.86	(135581.34)/0.00	5537613.52

Amount not immediately payable, if any.	
0.00	

		BG Security Deposit	Rs. 0.00
		BG Expiry Date	00-00-0000
Service line cum development charges paid	Rs. 0.00	Cash Security Deposit	Rs. 4579500.00
Interest accrued for FY 2025-26 already adjusted in bill No.010006905493 (generated for the period 2-03-2026 to 1-04-2026).			Rs. (412155.00)
Interest for FY 2026-27 will be adjusted in your first bill to be generated in FY 2027-28			
Total Power off Duration for billing period is 01:05 hrs (includes outages beyond BRPL's Control)			

Bill Amount Payable

Adj Amt.	**(5537610.00)**
Payable	**0.00**
Due Date	**--**

If payment is made after the due date, LPSC for the delay, shall be charged in the next bill.

Last payment Rs. 4758980.00 received on 15-03-2026 Payment Accounted Upto. 05-04-2026.

The connection shall be liable for disconnection on non payment of all dues(including arrears of previous bill(s)) by due date, after notice as per Section 56(1) of the Electricity Act, 2003.

#In absence of valid industrial license, the bill is raised as per non-domestic category.#Interest on security deposit has been credited @ 9.00% p.a. from the period01/04/2025 to31/03/2026 net of TDS of Rs.(412155.00) as per provisions of Income TaxAct.#Power Purchase Adj. Charge (PPAC) @ 05.76% been levied on energy & fixed charge w.e.f 09.02.2026. CCTV Bill amount included.#In case any variation in SLD charges noted, consumer may visit divisional office for requisite correction. Pension Surcharge @ 7.00% has been levied on energy & fixed charge w.e.f. 01.10.2021. ##The amount of Security Deposit against your connection is mentioned herewith under the heading "Security Deposit with DISCOM". Please check this amount and report any discrepancy by furnishing documentary proof in that regard available with you, at the customer care centre of respective division office. #

(This bill is computer generated, hence does not require signature.)

PAYNOW

Payment Slip

*** Make your cheque/DD payable to BRPL CA No. 151352374**

* Cheque should not be post dated.

* Write your telephone number on reverse of the cheque.

* Cheque should be account payee and payable at Delhi

* Do not Staple.Only clip the cheque to payment slip..

Bill amount payable: Rs.0.00 Bill month:APR-26

Cheque/DD No. Date:

Date of Print Out: 14.04.2026

BSES Rajdhani Power Ltd.

Meter Details Annexure

EBILL Customer

CA No. :151352374

Bill No. :10006905493

Bill Date :08-04-2026

Name : All India Soc For Health & Edu & Res.

Billing Address : Sec-18 A Ph-II, Dwarka . . NEW DELHI 110075

Current Demand	:5673194.86	Arrear	:0.00
LPSC	:0.00	Non Energy Amount	:(370939.00)

Net Meter Consumption Details (Date of Reading : 01-04-2026)

Solar Unit Details		Solar Installation Details			GBI & Capital Subsidy Details			
Generation During the Billing Period	Generation Durring Current FY (APR To MAR)	Date of Installation	Total Solar Load (kWp)	Solar New Load (kWp)	GBI Approved	GBI Units	GBI Amount For the Month	Capital Subsidy Amount
0.00	0		0.00	0.00		0.00	0.00	0.00

B/F Units (If any)	Export Reading			Import Reading			Net Difference			Moderated Units			Excess. Gen Unit	Shared by Prim.	C/F Units (If any)
	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak			
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	277386	0.00

(Consumption in the above table are in kWh/kVAh, as applicable)

Meter No	Units	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor	Current Consumption	
		Date of Meter Reading	Reading	Date of Meter Reading	Reading		Days	Units
Y0326999	kWh	01-04-2026	10,541.01	01-03-2026	10,413.25	6,000.00	31	766,560.00
Y0326999	kW	01-04-2026	0.24			6,000.00		1,440.00
Y0326999	kVAh	01-04-2026	10,744.74	01-03-2026	10,614.72	6,000.00	31	780,120.00
Y0326999	kVA	01-04-2026	0.24			6,000.00		1,440.00
Y0326999	kVAhP	01-04-2026	2,757.43	01-03-2026	2,724.42	6,000.00	31	198,060.00
Y0326999	kVAhO	01-04-2026	2,513.45	01-03-2026	2,483.87	6,000.00	31	177,480.00

BSES Rajdhani Power Limited (/web/brpl/home)

NEW ELECTRIC REWARDS Connection Services Customer(/group/brpl/consumer-details) Logout(/c/portal/logout?referer=/web/brpl/home)

CUSTOMER


PAYMENT RECEIPTS

Home (/web/brpl/home) Customer (https://www.bsesdelhi.com/group/brpl/my-account) Payment Receipts

Payment Receipt

CA Number	151352374
Amount	5537610
Payment Date	14/04/2026 16:35:35 PM
Mode of Payment	Gateway
Payment done by	BILLDESK
Transaction Reference Number	YAV22689478877

Print Back


7:03
5G 86
37
+91 93119 97249
last seen today at 6:39 PM
Voice call
13 sec
5:41 PM
Voice call
1 min
5:59 PM
Alert: You've spent INR 56,12,755.36 on your AMEX card ** 11008 at BILLDESK UTI on 14 April 2026 at 04:37 PM IST. Call 18004190691 if this was not made by you.
6:30 PM
Electricity bill paid
6:31 PM
Thank mam
6:53 PM
I
The
I'm
Q W E R T Y U I O P
A S D F G H J K L
Z X C V B N M
123
space
return

ANNEXURE-VIII
E-WASTE DISPOSAL AGREEMENT

INDIA NON JUDICIAL

Government of Uttar Pradesh

e-Stamp

RAVINDER KUMAR GUPTA
L.NO.- 30
Acc- UP14084904/MODINAGAR/UP-GZB

Certificate No.	:	IN-UP76125315583446U
Certificate Issued Date	:	25-Aug-2022 12:56 PM
Account Reference	:	NEWIMPACC (SV)/ up14084904/ MODINAGAR/ UP-GZB
Unique Doc. Reference	:	SUBIN-UPUP14084904445786759826O7U
Purchased by	:	SHIV SHAKTI METALS
Description of Document	:	Article 5 Agreement or Memorandum of an agreement
Property Description	:	Not Applicable
Consideration Price (Rs.)	:	
First Party	:	SHIV SHAKTI METALS
Second Party	:	VENKATESHWAR HOSPITAL
Stamp Duty Paid By	:	SHIV SHAKTI METALS
Stamp Duty Amount(Rs.)	:	100 (One Hundred only)

Please write or type below this line

SERVICE AGREEMENT

NOTARIAL NOTARIAL

NOTARY GOVT. OF INDIA

For SHIV SHAKTI METAL

Prop.

Venkateshwar Hospital New Delhi-75 Dwarka, Sec.-18A

CONTINUE...

Statutory Alert:
1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

SERVICE AGREEMENT

THIS Agreement is made on this 25th day of August, 2022 at Modinagar, by and between

M/s Shiv Shakti Metals, a Proprietorship concern of Mr. Gaurav Rastogi having its registered office and Recycling facility at Khasra No. 545, Village Phaphrana, Sikhera Road Industrial Area, Modi Nagar, Ghaziabad Uttar Pradesh- 201204 (hereinafter called the "Party of First Part" or "SSM" which expression shall, unless repugnant to the context or meaning thereof, be deemed to mean and include its successors, nominees and assigns of the First Part).

And

M/s. Venkateshwar Hospital,a Company incorporated under the Companies Act, 1956, having its Registered Office at "Sector 12 Rd, Sector 18, Sector 18A Dwarka, New Delhi, Delhi 110075", (hereinafter called "Party of Second Part" or "Venkateshwar Hospital" which expression shall, unless repugnant to the context or meaning thereof, be deemed to mean and include its successors, nominees and assigns of the Second Part).

WHEREAS, the Parties of First and Second Part desire to enter into an agreement.

And, in consideration of the mutual promises and covenants contained herein, the Parties agree as follows:

WHEREAS;

A. The Party of Second Part is engaged in providing Healthcare services through its Super Speciality Hospital namely 'Venkateshwar Hospital' located at Sector 12 Rd, Sector 18, Sector 18A Dwarka New Delhi, Delhi 110075 The Party of First Part is fully accredited with the ISO 14001: 2015 and ISO 9001:2015, and Micro, Small & Medium Enterprises (MSME), and fully licensed by The Environment Agency. The Party of First Part has Integrated Recycling Facility at Sikheda Road Industrial Area Modinagar Ghaziabad Uttar Pradesh, and has valid Authorization from Uttar Pradesh Pollution Control Board (UPPCB) for recycling of, E-Waste Recyclers, Battery Scrap, Insulated Cable Scrap, Plastic Scrap, Ferrous, Non Ferrous Scrap, and Waste oil etc.

The Party of First Part has a Centralized collection centre at Mandoli Industrial Area in NCT of Delhi as collection centre point of Battery waste and E waste as per the approval of Uttar Pradesh Pollution Control Board (UPPCB), and is authorized with Delhi Pollution Control Committee (DPCC) it's for collection center in Delhi NCT.

For SHIV SHAKTI METAL

Prop.

Venkateshwar Hospital (P) Ltd. Dwarka, Sec.-18A

B. The Party of Second Part requires the service (as defined below) to be provided by The Party of First Part and that The Party of First Part has represented that it can provide the services to The Party of Second Part.

C. And The Party of Second Part engages the Party of First Part to provide the services in accordance with the terms and conditions of this agreement.

NOW THIS AGREEMENT WITNESS AND THE PARTIES HERETO AGREE HEREBY AS UNDER:-

It is an agreement between the Parties unless the context otherwise requires the following words and expressions shall have the following meaning ascribed to them.

1.Shiv Shakti Facility shall mean the recycling facility situated at Sikhera Road Industrial Area, Modi Nagar, Ghaziabad, Uttar Pradesh

2. Applicable Laws means Law made by Ministry of Environment, Forest and Climate Change for movement of hazardous waste and all statutes rules, judgment order, Regulation, Directives, Standards, guidelines Policies by law, approvals from government Authority or other government restrictions or adjudication by quasi – judicial (including those relating to environment, taxes, assessment etc) governing the territories of and applicable to The Parties of First Part and Second Part.

3. E waste shall mean waste electrical and electronic equipment whole or in part and scraps or rejects from manufacturing process which are intended to be discarded. The waste end of life equipments which can be useful directly or after recycling.

4. Delivery Point shall mean the place of business of The Party of Second Part as may be agreed from time to time.

5. Services shall have a meaning ascribed to in schedule A.

2. Engagement

2.A. Subject to the terms and conditions of the agreement The Party of Second Part hereby engages The Party of First Part and The Party of First Part hereby agree to provide the services to the customer during the term of this agreement.

For SHIV SHAKTI METAL

Prop.

3. The Party of First Part SSM provide services including but not limited to refurbishing, reusing, and recycling the E waste , hazardous and other Scrap, supplied by the Venkateshwar Hospital and more fully described in schedule A. Attached hereto during the term of agreement.

4. Payments will be made in advance for collection of scarp according to the quotation provided by SSM to the Venkateshwar Hospital.

5. **Obligation of SSM**

A. The responsibility of SSM shall be to collect the material from Venkateshwar Hospital's site.

B. SSM agrees and undertakes to have all relevant consents, authorizations licenses and permissions, etc., as required under all applicable Laws to fulfill its obligations under this agreement.

C. SSM shall ensure timely collection of e waste, hazardous and other waste from the Venkateshwar Hospital premises as prescribed under the applicable laws and as mutually agreed between the parties.

D. SSM shall undertake that it shall not in any manner whatsoever use the trademark, name, logo of the Venkateshwar Hospital or any abbreviation of the name of the customer for its private advantage or otherwise.

6. **Obligation of Venkateshwar Hospital**

A. Subject to the terms and conditions of the agreement, Venkateshwar Hospital shall permit SSM and its employees to inspect the e waste and other scarp, that qualifies the definition of Scrap and meets the quality and quantity specifications as may be agreed between the parties from time to time.

B. The Venkateshwar Hospital shall permit SSM and its employees to inspect the e waste, hazardous and other waste in accordance with the clause and delivered to SSM. Venkateshwar Hospital allow SSM to reject any e waste that fails to meet any specifications, of e waste, hazardous and other waste after recording the reasons of the same in writing.

C. Venkateshwar Hospital shall notify SSM in case it is required to identify and furnish details of SSM as the E waste, hazardous and other scrap recycler of Venkateshwar Hospital to any governmental regulatory judicial quasi judicial, industry, associations, nongovernmental organizations etc.

D. Venkateshwar Hospital shall help SSM with documents like delivery Challan, Gate Pass, and declaration at the point of collection for movement of the material.

For SHIV SHAKTI METAL

Prop.

E. That the agreement shall remain in force originally for 3(Three) years commencing from 1st August , 2022 and rates will be revised every year. The Agreement may be renewed for similar periods on the terms and conditions as may be agreed by and between the parties hereto

F. Venkateshwar Hospital cannot sell their E waste in the open market except Supply to SSM.

7. Collection and Transport of E Waste, hazardous and Other Scrap.

A. SSM shall collect the E Waste from Venkateshwar Hospital's site and both the parties shall keep each other informed of the date and time of the delivery of E Waste, hazardous and other Scrap, in the event of any changes in the date and time of the delivery either party shall give a notice at least 24 hours prior to the scheduled delivery time.

B. Venkateshwar Hospital shall arrange the documents like delivery Challan, Gate Pass, and declaration at the point of collection for movement of the material for transportation of e waste from delivery point.

C. SSM shall at its sole cost and expenses if applicable obtain any and all necessary consents, permissions, licenses, approvals, as is required under relevant laws for transporting and processing of the e waste, hazardous and other scrap, SSM shall be responsible for all necessary consents and performing its obligations under this agreement.

D. All Cost in connections with Transportation of e waste from the delivery point to site of SSM shall be borne exclusively by SSM.

8. Inspection and Rejection

A. SSM shall be allowed to inspect the e waste and other waste. Any e waste that fails to meet any specifications, of e waste and other waste agreed between the parties after notifying the customer within 24 hours of rejecting such delivery or else the same shall be deemed to accepted.

9. Compliance for Shiv Shakti Metals shall strictly comply applicable laws and their obligation under the agreement.

10. Representations and warranties

SSM represents warrants and undertakes.

A. It is duly registered entity and validly existing under the laws of India.

For SHIV SHAKTI METAL

Prop.

B. It has full power and authority to enter into this agreement and performs all obligations under this agreement.
C. It is not prevented or barred in any way, from entering into this agreement and or performing its obligations hereunder, and the performance of its obligations herein shall not conflict or cause the breach of any agreement undertaking or law to which it is subject or bound and documents not require the consent of any third party.
D. It has and shall maintain during the term of this agreement all the permit, licenses, consents, and approvals that are require in order to render services to the Venkateshwar Hospital.

Venkateshwar Hospital represents, warrants and undertakes that,

A. It has a Super Specialty Hospital located at Sector 12 Rd, Sector 18, Sector 18A Dwarka, New Delhi, Delhi 110075 duly organized and validly existing under the laws of India.
B. It has full power and authority to enter into this agreement and performs all obligations under this agreement.
C. It is not prevented or barred in any way, from entering into this agreement and or performing its obligations hereunder, and the performance of its obligations herein shall not conflict or cause the breach of any agreement undertaking or law to which it is subject or bound and documents not require the consent of any third party.
D. It has and shall maintain during the term of this agreement all the permit, licenses, consents, and approvals that are require in order to perform its obligation pursuant to this agreement.

11. Indemnity.

SSM shall indemnify defend and hold the Venkateshwar Hospital, its shareholders, employees, officers, and Directors against all claims, losses and expenses arising out of or in relation to breach of the SSM representations and warranties.

12. Force Majeure.

A. Force majeure means any event or combination of event that materially or adversely Affect the performance of either parties of its obligations in whole or in part pursuant to the terms of this agreement but only to the extent that such event or circumstances are not within the affected party reasonable control and have not been caused by willful neglect act or omission of the affected party. The following event shall constitute force majeure: epidemic, nuclear emergency, earthquake, riot, war, acts of terrorist.

For SHIV SHAKTI METAL

Prop.

Venkateshwar Hospital New Delhi Dwarka, Sec.-18A

B. The affected party shall as soon as possible and in no later than 30 Days after occurrence of Force Majeure provide written notice thereof to the other party.

C. The affected party shall provide the other party with prompt notice cessation of the force majeure event and resume its obligation as contained herein.

13. Notice

Any Notice, Invoice, approval, advice, report, or any other communications required to be given to a party hereunder shall be addressed and delivered to the place of business of such party, as set out in the preamble of this agreement or such other address may be communicated by such party to the other party from time to time for this purpose.

14. Governing Law and dispute resolution.

A. Negotiations & Conciliation

The parties shall endeavor to resolve all claims, disputes questions or controversies involving the parties and arising out of or in connection with this agreement, or the execution, interpretation, validity performance, breach of termination hereof (collectively "Dispute(s)) through amicable negotiation and conciliation.

B. Arbitration

The Parties agree that Agreement shall be construed in accordance with the laws in force in India and in the eventuality of any dispute or difference (including in the eventuality of violation of the Agreement by any party) should arise on any matter relating to or arising out of the present Agreement the same shall be referred to the Sole Arbitration of an arbitrator to be appointed by the parties mutually whose decision shall be final and binding upon the parties. The sole Arbitrator shall conduct the arbitration proceedings at Delhi only. It is also mutually agreed between the parties that the Parties would be entitled to invoke the present arbitration Clause/agreement during or even after the subsistence and even after the present Agreement has expired or been terminated etc.

C. In the event of such an Arbitrator to whom the matter has been originally referred dying or being unable/failing/refusing to act for any reason whatsoever and/or withdrawing from his office at any stage/time, parties shall be entitled to appoint another person to act as the Sole arbitrator with mutual consent. That such arbitrator shall be entitled to proceed with the reference from the stage at which it was left by his predecessor.

For SHIV SHAKTI METAL

Prop.

Venkateshwar Hospital New Delhi Dwarka, Sec.-18A

D. It is also agreed between the parties that arbitration proceeding would be conducted in English or Hindi only and in no other language.

E. Jurisdiction

The Courts at Delhi shall have exclusive jurisdiction (subject to the arbitration proceedings which are to be also conducted at Delhi) over any or all disputes arising out of this Agreement and the parties hereby submit themselves to the jurisdiction of such Courts and/or Tribunals.

15. Assignment

This agreement will bind and injure to the benefit of each party's successors and assigns, provided that no party may assign the agreement without prior written consent of the other party. Any permitted assignee shall agree in writing to be bound by the terms and conditions set forth herein. Any attempt to assign this agreement without such consent will be null and void.

16. Amendment and waiver.

No amendment modification or waiver of this agreement shall be valid or consent to departures from the provisions hereof, may be given unless evidenced in writing and signed by authorized representative of the parties. A failure or delay to enforce any provisions of this agreement shall not constitute waiver hereof.

17. Severability.

If at any time one or more provisions of this agreement become invalid or unenforceable, the remainder of this agreement shall survive and remain in full force and effect. The parties shall Endeavour in good faith to mutually discuss and include replacement provision to the agreement to carry out the intentions of the parties.

18. Relationship.

Nothing in this agreement shall be construed as creation a partnership or joint venture between the parties or constitute either party the agent of the other party for any purpose.

IN WITNESS WHEREOF THE PARTIES HERETO HAVE EXECUTED THIS AGREEMENT THE DAY AND YEAR FIRST HEREINABOVE WRITTEN.

Signed by SSM

For SHIV SHAKTI METAL

Prop.

Venkateshwar Hospital * Dwarka, Sec.-18A *

For Shiv Shakti Metals

Signature: _____

Name: GAURAV RASTOGI

Designation: PROPRIETOR

For SHIV SHAKTI METAL

Prop.

Signed by Venkateshwar Hospital

For Venkateshwar Hospital

Signature: _____

Name: Mrityunjay Kumar

Designation: Manager Engineering

Resources Witnesses:

1. DHEERAJ RASTOGI _____

2. _____

Venkateshwar Hospital New Delhi-75 Dwarka, Sec.-18A

NOTARY UDAIVIR SINGH Advocate/Notary Public Area Ghaziabad Reg. No.- 3/69 GOVT. OF INDIA

ATTESTED

UDAIVIR SINGH
Advocate/Notary Public
N. 944, Civil Court GZB
25/08/2022

Schedule A

Terms and Condition for the pre and post collection of e waste, hazardous and other scrap.

Shiv Shakti Metals to provide Following kinds of recycling services as committed to the Venkateshwar Hospital as mentioned herein below,

A. Free Logistics services from delivery point.
B. Environmental friendly Recycling of all E Waste, hazardous and Other Scrap.
C. Certification of Recycling is to be provided to the customer at the end of 30 Working Days from the date of pick up.
D. SSM shall ensure issue of Form 6 / Form 10.
E. Minimum Volume of Material for pickups is 2500 Kgs.
F. Material should be lifted within 10 days after the advance payment is made to Venkateshwar Hospital.

NOTARY GOVT. OF INDIA

For SHIV SHAKTI METAL

Prop.

Venkateshwar Hospital New Delhi-75 Dwarka, Sec.-18A

Quotation

Sub : Quotation of Scrap for year (22-23)

To,
Respected Sir/Mam,
Greetings of the day,

As per our discussion Please find the quotation below for your Esteemed Organization in Delhi NCR. For Following Items: -

(1) E- waste Scrap	(A) Electrical & Electronic waste 42.50 Rs. Per kg.
	(B) All type of LED Lights & Fitting Rs. – 10 Per kg
	(C) Electronic and Electrical Plastic instruments and Spares - 12.50 Rs per Kg.
(2) Hazardous Waste Scrap	(A) Battery Waste Scrap - 88 Rs. Per Kg. With Acid
	(B) Battery Waste Scrap - 101 Rs. per Kg. Without Acid
(3) Insulated Wires Scrap	(A) Copper wire Mix 98 Rs. Kg.
	(B) Aluminum Wire 26 Rs. Kg.

These All Rates given above are including GST & Other Taxes.
Company will provide the number of services when you will start the Process and we will assure you we
Are providing the better service and Securities

We are authorized to do recycling business of ultrasound, Imaging & Scanner machines as are having authorization from (PNDT) Department as a recycler to collect all PRE-CONCEPTION AND PRE-NATAL DIAGNOSTIC TECHNIQUES related machines from the Delhi region With Certificate of Registration DELHI/PCPNDT/232/2022-23, We have been associated B N MEDICAL SOLUTIONS (AERB License No: 17-AFSXE-178007 AND TC -10961) is authorized by Atomic Energy Regulatory Board (AERB) & National Accreditation Board for Testing and Calibration Laboratories (NABL) for providing Quality Assurance (QA) for all Radiological Equipment and Dispose of the Radioactive Medical Equipments activities of Radiology equipment in various hospitals,
Please call us for further assistance. Waiting for your valuable response. Looking forward to serve you
Note: There are no charges for Collection and Recycling Process of Scrap.

Regards
Shiv Shakti Metals



ANNEXURE-IX
SOLID WASTE DISPOSAL AGREEMENT

सत्यमेव जयते

INDIA NON JUDICIAL

Government of National Capital Territory of Delhi

₹100

e-Stamp

Certificate No.	:	IN-DL90021779966227X
Certificate Issued Date	:	08-Nov-2025 02:09 PM
Account Reference	:	IMPACC (IV)/ dl764303/ DELHI/ DL-NWD
Unique Doc. Reference	:	SUBIN-DLDL76430308036440197534X
Purchased by	:	VENKATESHWAR HOSPITAL
Description of Document	:	Article 5 General Agreement
Property Description	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	VENKATESHWAR HOSPITAL
Second Party	:	BHUMI ENTERPRISES Prop MANISHA KALRA
Stamp Duty Paid By	:	VENKATESHWAR HOSPITAL
Stamp Duty Amount(Rs.)	:	100 (One Hundred only)

NOTARIAL

Please write or type below this line

Kamal Solanki

Venka
Sect
New L

Kamal Solanki
(CEO)
Venkateshwar Hospital
Sector 18A, Dwarka
New Delhi – 110075

Manisha Kalra

BHUMI ENTERPRISES

Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.

08-Nov-2025 02:09 PM 08-Nov-2025 02:09 PM 08-Nov-2025 02:09 PM 08-Nov-2025 02:09 PM 08-Nov-2025 02:09 PM 08-Nov-2025 02:09 PM 08-Nov-2025 02:09 PM 08-Nov-2025 02:09 PM

VENKATESHWAR HOSPITAL VENKATESHWAR HOSPITAL VENKATESHWAR HOSPITAL VENKATESHWAR HOSPITAL VENKATESHWAR HOSPITAL VENKATESHWAR HOSPITAL VENKATESHWAR HOSPITAL VENKATESHWAR HOSPITAL VENKATESHWAR HOSPITAL VENKATESHWAR HOSPITAL VENKATESHWAR HOSPITAL VENKATESHWAR HOSPITAL

Scanned with CamScanner

E-Stamp Certificate No._IN-DL90021779966227X

AGREEMENT

This Agreement dated 08-11-2025 Executed at Delhi between : VENKATESHWAR HOSPITAL ADD:- 18A, SECTOR 18, DWARKA, NEW DELHI, - 110078 (hereinafter called First party/HOSPITAL)

AND

M/S BHUMI ENTERPRISES PROP. MRS. MANISHA KALRA W/O SH. SANDEEP KALRA R/O B-1/107, RAMESH ENCLAVE, KIRARI, DELHI-110086 (hereinafter referred as The Second party/COMPANY)

The expression of Hospital/First Party & Company/Second Party where ever the context so requires shall mean and include their respective legal heirs, successors, assigns, representative and administrators etc.

And whereas on the request of the Company/Second Party, the Hospital/First Party has/have agreed to Contract with the Hospital with some below mentioned conditions and Second Party agreed for the same on the following terms and condition of agreement:

1. That the agreement has commenced between the parties for 4 Years 0 days, (last agreement valid upto 09-10-2029) which will be counted w.e.f 08-11-2025 to 09-10-2029.
2. That the Second Party Collect all General Waste of above PARK HOSPITAL and during the tenancy no one rights to collect the General Waste.
3. That Second party pay per month Rs. 20,000/-Rs. (Twenty Thousand Only per month) for the General waste generated to First Party.
4. That the Second Party collected the General waste any other waste and scrap (i.e. newspaper, cardboard, packing material, wooden waste, cartoon- gatta, file paper, plastic kane 5 Ltr and 10 Ltr. Etc.) on daily basis without any fail to First party.

Kamal Solanki
(CEO)
Venkateshwar Hospital
Sector 18A, Dwarka
New Delhi – 110075

BHUMI ENTERPRISES

Manisha Kalra

Scanned with CamScanner

5. That if any party want to cancelled the above said agreement before expiry period both parties will issue 2 month notice to each other parties & First party also refund security amount to second party.

IN WITNESS WHEREOF both the parties have set their hands to this AGREEMENT on the day month and place first hereinabove written in the presence of the following witness.

Kamal So[illegible]
(CEO)
Venkate[illegible]
Secto[illegible]
New D[illegible]

FIRST PARTY/HOSPITAL
(VENKATESHWAR HOSPITAL)

WITNESSES:-

1.

2.

RAJ KUMAR
(ADVOCATE)
Regn.No. 6656
GOVT OF INDIA

BHUMI ENTERPRISES

SECOND PARTY/COMPANY
(BHUMI ENTERPRISES)

ATTESTED
NOTARY PUBLIC
GOVT OF INDIA
08 NOV 2025

Scanned with CamScanner

ANNEXURE-X
COPY OF FIRE NOC

FORM 'H'
FORM FOR ISSUING FIRE SAFETY CERTIFICATE
[Refer sub - rule (1) of rule 35]
GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEAD QUARTERS: DELHI FIRE SERVICE, CONNAUGHT PLACE, NEW DELHI

No. F6/DFS/MS/SZ/2023/ 528 Dated:07 / 11 /2023

FIRE SAFETY CERTIFICATE

Certified that the Venkateshwar Hospital (A unit of All India Society for Health Aid Education & Research), located at Sector 18A, Dwarka, New Delhi-110075 in a building comprised of three tier **Basement + Ground Floors +Ten upper floor** owned/occupied by Venkateshwar Hospital was issued Fire Safety Certificate vide letter No. F6/DFS/MS/2020/493, dated 24/11/2020. The premises was re inspected by the officers concerned of this department on 01/11/2023 in the presence of Sh. Kamal Solanki (CEO) and found that the said building have deemed complied with the fire prevention and fire safety requirements in accordance with Rule 33 of the Delhi Fire Service Rule, 2010 and that the premises is fit for occupancy class " Assembly" Group D with effect from 07/11/2023 for a period of three years in accordance with Rule 36 unless renewed under Rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under Rule 38 of the Delhi Fire Service Rules, 2010.

Issued on ..07/11/2023.. at New Delhi by.

(Atul Garg)
(Director)
Delhi Fire Service

Copy to: -

1. M/s. Venkateshwar Hospital (A unit of All India Society for Health Aid Education & Research), Sector 18A, Dwarka, New Delhi-110075.
2. The Directorate General of Health Services, F-17, Arjun Gali, Karkardooma, Anand Vihar, New Delhi – 110032.

Following fire safety directives must be adhered to:-

1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
2. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.
3. The trained staff should be available round the clock.
4. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.
5. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.
6. Basement shall be used as per building bye laws.
7. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in.
8. The owner/ occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this certificate, six months prior to its expired.

14/35

INSPECTION REPORT

1. Name & address of the building: Venkateshwar Hospital (A unit of All INDIA Society for Health Aid Education & Research), Located at Sector 18A, Dwarka, New Delhi-110075
2. Type of Occupancy : Institutional (Hospital) comprised of three tier basement, Tower-A=G+6UF &Tower –B=G+10UF.
3. Type of Case : Renewal
4. Details of previous NOC : F6/DFS/MS/2020/493, dated 24/11/2020
5. Fire Safety directives L. No. : F6/DFS/MS/BP/Hospital/2014/246 dated 09-09-2014.
6. Date of inspection : 01-11-2023
7. Name of the Inspecting Officer : DO/SW & ADO (DWK)
8. Name and designation of Officer :

   from the building side : Sh. Kamal Solanki (CEO)
9. Year of Construction :2015-16
10. Applicant's letter No. : Form J dated 17-10--2023

S No	Minimum standards on fire prevention and fire safety U/R 33	As per N/30, N/31, N/32 & N/33	Provided at site	Remarks MR/NMR
1.	Access of building			
	• Road width	12 m	Provided	MR
	• Gate width	5 m	provided	MR
	• Width of internal road	6	provided	MR
2.	Number, width, Type & Arrangements of exits			
	a. Number of staircases			
	• Upper floors	04	provided	MR
	• Basements	06	provided	MR
	b. Width of staircases			
	• Upper floors	2mtr	2 mtr Provided	MR
	• Basements	2 m&1.5m	4x2m,2x1.5m & Ramp	MR
	c. Protection of exits			
	• Fire check door	Required	Provided	MR
	• Pressurization	Required	Provided	MR
	d. No of continuous staircase to terrace	03	Provided	MR
	e. Width Of Corridor	2.40mts	Provided	MR
	f. Door Size	2.0mts	Provided	MR
3.	Compartmentation			
	• Fire check door	Required	Provided	MR
	• Sealing of electrical shafts	Required	Provided	MR
	• Fire Rating of shaft door	Required	Provided	MR
	• Water Curtain	Pseudo compart	Provided	MR
	• Fire Dampers	Required	Provided	MR

4.	Smoke managements System			
	• Basements	30a/c per hour	Provided	MR
	• Upper floors	12a/c per hour	Provided	MR
5.	Fire Extinguishers			
	• Total numbers	150 nos.	Provided	MR
	• Types	DCP &CO2, CO2	Provided	MR
	• IS marking	ISI marked	Provided	MR
6.	First – Aid Hose Reels			
	• Total numbers on each floor	BF-6, GF to 7th Floor-4, 8th to Terrace-3	Provided	MR
	• Length of hose reel hose	30 m	Provided	MR
	• Nozzle diameter	5 mm	Provided	MR
7.	Automatic fire detection and alarming system			
	• Type of detectors	Smoke & Heat	Provided	MR
	• Location of Main Panel	Ground floor	Provided	MR
	• Location of Repeater Panel	Basement-1	Provided	MR
	• Alternate source of power	Required	Provided	MR
	• Hooters' Location	Required	Provided Strategic location	MR
8.	MOEFA	Required	Provided	MR
9.	Public Address System	Required	Provided	MR
10.	Automatic Sprinkler System			
	• Basements	Required	Provided	MR
	• Upper Floor	Required	Provided	MR
	• Sprinkler above false ceiling	Required	Provided	MR
11.	Internal Hydrants:			
	• Size of riser/down- comer	150mm	Provided	MR
	• Number of hydrants per floor	BF-6, GF to 7th Floor-4, 8th to Terrace-3	Provided	MR
	• Hose Box	Required	Provided	MR
12.	Yard Hydrants			
	• Total number of hydrants	08Nos.	Provided	MR
	• Hose Box	08	Provided	MR
13.	Pumping Arrangements:			
	• Ground Level			
	➢ Discharge of main pump	2280lpm	Provided	MR
	➢ Head of main pump	110 m	Provided	MR
	➢ Number of main pumps	2	Provided	MR
	➢ Jockey pump out put	220 lpm	Provided	MR
	➢ Jockey pump head	110m	Provided	MR
	➢ Standby Pump out put	2280lpm	Provided	MR
	➢ Standby Pump Head	110m	Provided	MR
	➢ Auto Staring/Manual stopping	Required	Provided	MR
	➢ Pump House Access			
	• Terrace level	Required	Provided	MR
	➢ Discharge of pump	NA	NA	NA
	➢ Head of the pump	NA	NA	NA
	➢ Power supply	NA	NA	NA
	➢ Auto starting of pump	NA	NA	NA

14.	Captive water Storage for fire fighting:			
	• Under ground tank capacity	1,50,000 liter	Provided	MR
	➢ Draw off connection	Required	Provided	MR
	➢ Fire service inlet	Required	Provided	MR
	➢ Access to tank	Accessible	Provided	MR
	• Overhead Tank capacity	Required20,000 Litres	Provided	MR
15	Exit Signage	Required	Provided	MR
16.	Provision of Lifts			
	➢ Pressurization of Lift Shaft	Required	Provided	MR
	➢ Pressurization of lift lobby	Required	Provided	MR
	➢ Communication in lift Car	Required	Provided	MR
	➢ Fireman's Grounding Switch	Required	Provided	MR
	➢ Lift Signage	Required	Provided	MR
17.	Standby power supply	Required	DG set 500KVA	MR
18.	Refuge Area			
	➢ Total area	Required	Provided as per sanctioned plan	MR
	➢ Location	Required	AT 6TH FLOOR	MR
19.	Fire control room			
	➢ Detector system panel	Required	Provided	MR
	➢ Flow Switch Panel	Required	Provided	MR
	➢ PA System Panel	Required	Provided	MR
	➢ Battery backup	Required	Provided	MR
	➢ Building Floor Plans	Required	Provided	MR
20.	Special Fire Protection Systems for Protection of special Risks, if any;	Required	CO2 flooding system Provided in elect.Panel.	MR

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

In view of the deemed compliance of minimum standards on fire prevention and fire safety as required under the rules the FSC issued vide letter no. F6/DFS/MS/2020/493, dated 24/11/2020 renewal under Rule 37 of the Delhi Fire Service Rules 2010 is recommended.

8/11/23

Signature of the Inspecting Officer
Name UGBIR CHHIKARA
Designation D.O (S.W)

24/11/23

Signature of the Inspecting Officer
Name Ubai Vir Singh
Designation ADO/DWK

CFO (SZ) 3/11/2023

Director 3/11/23

ADO/DWKA

ANNEXURE-XI
COPY OF FIRE TRAINING PROGRAM

VENKATESHWAR HOSPITAL
Stability in Healthcare
The Leading Multi Super Speciality Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety	Date: 07/03/2026	Time & Duration: 30 Mins	Venue: HK department
Trainer Name: Yogesh Kumar	Trainer Sign:		

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	6844	ANURAG	HK	Sec.				✓	
2	1758	AKSHAY	HK	Sup				✓	
3	2250	Amarjeet	HK	Sup				✓	
4	1424	Rinu	Nursing	Sup					
5	00025	Chinmaya Rout	ENGG	SUP				✓	
6	7044	Sanjay Saini	ER	HC				✓	
7	6087	Udaykumar Saini	ER	EMT				✓	
8	8372	Nisha yadav	ER	EMT				✓	
9	1469	Vikram	ER	HK				✓	
10	1627	Sanjog	ER	P.C.A					
11	1352	Havaldar	ER	H.K					
12	2528	Rohit Kumar	ER	H.K					
13		2221							
14		RISHAV		Manager					
15	5413	Ranjeet Singh	Engg	HOD					
16	DNB 0072	Dr Simpy		DNB					
17	3671	Omprakash	ER	T/L					
18	5711	Dr. Ratna	ER	Sr. EMO					
19	21880	Mehul	Security	ASO					
20		Rajesh Kumar	Engg.	M.S.T				✓	

Any Other Remark:

Thanks for participarting !!

vivo V50 | ZEISS
23mm f/2.8 1/100s ISO426
04/29/2026, 12:46

VENKATESHWAR HOSPITAL
Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	FIRE		Date:	12/03/2026	Time & Duration	40 Mints	Venue	1st floor DIALYSIS UNIT
Trainer Name:	Fire & Safety		Trainer Sign:					

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	8153	Julie	Dialysis	S/N				✓	
2	7295	Abhishek Tiwari	Dialysis	Tech				✓	
3	8390	Sneha Shrivastav	D/U	S/N				✓	
4	8375	Arush Verma	Dialysis	Tech.				✓	
5	7748	Pooja	Dialysis	S/N				✓	
6	2488	Pinki	"	G.D.A				✓	
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

vivo V50 | ZEISS
23mm f/2.8 1/100s ISO433
04/29/2026, 12:46

VENKATESHWAR HOSPITAL
Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic:	Five trading	Date:	12/3/26	Time & Duration	12/3/26 1 hours	Venue	PHC		
Trainer Name:	Ratan Singh	Trainer Sign:	Ratan						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	7527	Aman Jha	PCS	Biller				✓	Aman
2	2117	Rinki	P.C.A	GDA				✓	Rinki
3	5767	SUKHDEV Singh	PHC	MT				✓	S.Dey
4	2468	Monika	PCA	GDA				✓	Monika
5	2198	Shivani	PCA	GDA				✓	Shivani
6	3386	Rahul	PCS	coordinator				✓	Rahul
7	8108	Prabhjot Oinam	Pcs	Pcs.				✓	P
8	7911	Ruchi Kundu	PCS	Coordinator				✓	Ruchi
9	4482	Tuja Negi	PCS	Executive				✓	Tuja
10	3998	Susila	PCS.	Sr. Executive.				✓	Susila
11	8286	Manju Chauhan	PCS	Team leader				✓	Manju
12		Sakshi	Travel desk					✓	Sakshi
13									
14									
15									
16									
17									
18									
19									
20									

Ratan Singh
1/60

Any Other Remark:

Thanks for participarting !!

VH/HR/F&F005/TAF/Ver1.1/July'19

vivo V50 | ZEISS
23mm f/2.8 1/100s ISO452
04/29/2026, 12:47

VENKATESHWAR HOSPITAL
Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	Date:	13/03/2026	Time & Duration	45	Venue	MRD M.B Block-2
Trainer Name:	Rattan Singh	Trainer Sign:	Rattan Singh				

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	5424	Lalit Pafwai	MRD	Sr. Tech				✓	
2	1387	Piyushotam	MRD	H.K				✓	
3	8269	Deepanshu	MRD	Trainee				✓	
4	4468	BHAWNA	MRD	Technician				✓	
5	7824	Monika	MRD	Tech.				✓	
6	8048	Sahil	MRD	Tech.				✓	
7									
8	001	Nazia Bano	MRD	Trainee				✓	
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Rattan Singh
1160

Any Other Remark:

Thanks for participarting !!

vivo V50 | ZEISS
23mm f/2.8 1/100s ISO473
04/29/2026, 12:47

VENKATESHWAR HOSPITAL

Training Attendance & Feedback Form

Training Topic: Fire & Safety Awareness | Date: 13/03/2026 | Time & Duration: 01 Hrs. | Venue: 10th floor kitchen Dept.

Trainer Name: Yogesh Kumar | Trainer Sign:

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	40068	Simran	F&B	Steward			✓		
2	N.J	Shivani	F&B	Steward		✓			
3	400487	UMESH	F&B	SEMM			✓		
4	A-036	Chandan	Chef						
5	400626	JEEVAN	Cook				✓		Jivan
6	N.J	SUMAN THAKUR	F&B	UT			✓		
7	N.J	Satnam Kaur	F&B						
8		Ravi Jaiswar	F&B	Kitchen					
9		Asha	F&B	Kitchen					
10	N.J	Swati	F&B						Swati
11		Renu Pandey	UT				✓		
12	N.J	Preeti	F&B	Steward			✓		Preeti
13		Sanjay Kumar	F&B	Steward			✓		
14	NJ	Khoshi	F&B				✓		
15	400639	Rukhsana	F&B	Steward			✓		
16	400417	Gurdeep	F&B	Sr. Steward					
17	N.J	Ranjeet Singh	F&B	Senior Steward			✓	✓	
18	10081	Harish	F&B	SUP				✓	
19									
20									

Any Other Remark:

Thanks for participating !!

VH/HR/F&F005/TAF/Ver1.1/July'19

1160

vivo V50 | ZEISS
23mm f/2.8 1/100s ISO466
04/29/2026, 12:47

VENKATESHWAR HOSPITAL

Training Attendance & Feedback Form

Training Topic: Fire & Safety | Date: 14/03/2026 | Time & Duration: 40 Mints | Venue: Park Ground

Trainer Name: Ratan Sir | Trainer Sign: Ratan

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	63747	Sapna	Security	L/S/G				✓	Sapna
2	21884	POOJA	Security	L/S/G				✓	POOJA
3	64101	Meenu	"	"					Meenu
4		Mohit	"	S/G					
5	24622	Sohan	"	S/G				✓	Sohan
6	25029	Mahesh Kumar	"	S/G				✓	Mahesh
7	2404	Sonu	"	S/G				✓	Sonu
8	21889	Aman Kumar Yadav	"	S/G				✓	Aman
9	23944	Satish Kumar	"	S/G				✓	Satish
10	63728	PANKAJ MALHOTRA	"	"				✓	
11	21896	Phoolchandra	"	"				✓	PCA
12	23337	SANJAY KUMAR-2	"	"				✓	SK
13	62123	Rajan Sharma	"	"				✓	Rajan
14	24657	Bhuvan Chandra	"	"				✓	Bhuvan
15	63720	Amit Kumar Barua	"	"				✓	Amit
16		RAJU SINGH	"	"				✓	
17	24966	Anil MASSEY	"	"				✓	Anil
18	21904	SHEELA	"	"				✓	Sheela
19	65029	Sunil	"	S/G				✓	Sunil
20	21938	Arun Verma	"	S/G				✓	Arun
Any Other Remark: 63755		SHIVAM	"	S/G				✓	Shivam

Thanks for participarting !! VH/HR/F&F005/TAF/Ver1.1/July'19

64436 Mamta L/S/G ✓ Mamta

HOD

vivo V50 | ZEISS
23mm f/2.8 1/100s ISO473
04/29/2026, 12:47

VENKATESHWAR HOSPITAL

Training Attendance & Feedback Form

Training Topic: Fire & Safety Awareness	Date: 17/03/2026		Time & Duration		Venue	HK Dept. Basement-3
Trainer Name: Yogesh Kumar	Trainer Sign:					

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	2079	Anjali kumari	H.K	PCA					
2	1801	RaiKUMARI	P.C.A	H.K					RaiKUMARI
3	2415	Naina	P.C.A	H.K					Naina
4	2157	Shruti	P.C.A	HK					Shruti
5	2076	Anju Bala	H.K	H.K					
6	2458	Soniyam	H.K	H.K					Soniyam
7	2147	Manisha	P.C.A	H.K					Priyanka
8	2263	Priyanka	P.C.A	H.K					रवी
9	1284	रवी	H.K	H.K					Rinki
10	2117	Rinki	P.C.A	H.K					Anju Bala
11	2076	Anju Bala	H.K	H.K					Rinki
12	2364	Diya	P.C.A	H.K					Diya
13	2365	Preeti	H.K	H.K					Preeti
14	2235	Rahul	H.K	H.K					Rahul
15	296	KIRAN	H.K	H.K					KIRAN
16	1485	Seema	H.K	H.K					Seema
17	1823	यदेश	H.K	H.K					यदेश
18	1176	Sushma	P.C.A	H.K					Sushma
19	1791	Nisha	P.C.A	H.K					Nisha
20	1662	Savita	H.K	H.K					Savita

Any Other Remark:

Thanks for participarting !!

VH/HR/F&F005/TAF/Ver1.1/July'19

vivo V50 | ZEISS
23mm f/2.8 1/120s ISO535
04/29/2026, 12:47

VENKATESHWAR HOSPITAL

Training Attendance & Feedback Form

(MBJ)

Training Topic: Fire & Safety			Date: 8/04/2026		Time & Duration	1 hour	Venue	B-2 Call centre	
Trainer Name: Rattan Singh			Trainer Sign: Rattan Singh						
S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	5721	Khusboo							
2	8346	Bhavya	PCS	Executive				✓	
3	8288	Sohit Kumar	PCS	Executive				✓	
4	8418	Damini Kropi	PCS	Executive				✓	Damini
5	7130	Geetika	PCS	Executive				✓	Geetika
6	6344	Vishal	PCS	Executive				✓	
7	7179	Poojam IG	PCS	Executive				✓	
8	7108	NEERAJ	PCS	Sr Executive				✓	
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Rattan Singh

HOD

Any Other Remark:

Thanks for participarting !!

VH/HR/F&F005/TAF/Ver1.1/July'19

vivo V50 | ZEISS

23mm f/2.8 1/100s ISO459
04/29/2026, 12:47

VENKATESHWAR HOSPITAL
Proximity in Healthcare
The Leading Multi Super Specialty Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety | Date: 24/03/2026 | Time & Duration: 45 Mts | Venue: On 4th day care II floor Block-2

Trainer Name: Ratan Singh | Trainer Sign:

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	6086	SONALI	ODC	S/N					
2	8331	Khushi Singh	ODC	S/N					
3	8030	[illegible]	MED. ONCO	Pharmacist					
4	5772	Mingtingla	ODL	S/N					
5	8262	Shriyansh	ODC	Trainee					
6	45A	ANUP Kisan	ODC	I/C					
7	8054	Shivam Negi	ODC	S/N					
8	21909	RAJESH Singh	Security	S/G				✓	
9									
10									
11									
12									
13				1160					
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VH/HR/F&F005/TAF/Ver1.1/July'19

vivo V50 | ZEISS
23mm f/2.8 1/100s ISO452
04/29/2026, 12:47

VENKATESHWAR HOSPITAL
Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety | Date: 28/03/2026 | Time & Duration: 2/0 Hours | Venue: Park Ground Floor

Trainer Name: Rattan Singh | Trainer Sign:

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	65029	Sunil	Security	S/G				✓	
2	64101	Meera	"	L/G					Meera
3	21884	Poosia	Security	LS/G				✓	Poosia
4	63717	Sapna	Security	LS/G				✓	Sapna
5	21892	Sandeep	"	"				✓	
6	23337	SANJAY KUMAR-2	"	"				✓	
7	21979	Mukesh kumar Verma	"	"					mukesh
8	23944	Satish Kumar	Security	"				✓	Satish
9	25029	Mahesh Kumar	Security	"				✓	Mahesh
10	63728	PANKAJ MALHOTRA	"	S/G				✓	
11		Mohit Chauhan	"	S/G				✓	
12		SHIVLAL-SHARMA	"	S/G.				✓	
13	21896	Phool Chandra	"	"				✓	
14	22576	Amit	Sec.	S/G				✓	
15	21889	Aman Kr Yadav.	"	S/G				✓	
16	91456	Sachin Seth	"	"				✓	
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VH/HR/F&F005/TAF/Ver1.1/July'19

vivo V50 | ZEISS
23mm f/2.8 1/100s ISO473
04/29/2026, 12:47

VENKATESHWAR HOSPITAL

Training Attendance & Feedback Form

Training Topic: Fire & Safety Training | Date: 29/03/26 | Time & Duration: 25 mins | Venue: H.K. Department B-2

Trainer Name: YOUGESH KUMAR | Trainer Sign:

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	1664	Bdevi7kar	P.CA	H/K					
2	2203	Vandana	P.C A	H.K					
3	2096	Rita	P.C A	H.K					
4	2197	Nehra	PCA	HK					
5	2434	नेहरा	PCA	H.K					
6	2167	BHAVANA	P CA	H·K					
7	1355	Sunita	P·CT	H·K					
8	1288	phalkumari	H·K	H·K					
9	1196	Rekha	PCA	H·K					
10	2069	Roma	P. C. A	H·K					
11	2236	Laxmi	PCA	UDA					
12	2433	MusKan	BCA	UDA					
13	2452	मीनाक्षी	PCA	UDA					
14	2274	Sania	P.CA	H·K					
15	2455	Rekha	CDA	UDA					
16	2476	NISHA							
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VH/HR/F&F005/TAF/Ver1.1/July'19

vivo V50 | ZEISS
23mm f/2.8 1/100s ISO466
04/29/2026, 12:48

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety | Date: 03/01/26 | Time & Duration: 07:30 to 08:00 | Venue: Grd Yard area Security

Trainer Name: Pankaj | Trainer Sign: Pankaj

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	24637	Bhuvanchand	Security	S/G					
2	62097	PRADEEP KR.	"	"					
3	62277	Praveen Kumar	"	"					
4	63720	Anil Kumar	"	"					
5	22554	Baijnishee	Security	"					
6	22129	Jitendra Kumar	"	S/G					
7	21976	BIPIN KUMAR	Security	S/G					
8		VS Nath	Security	S/G					
9	22747	Sanjay Giri	S/G	S/G					
10	22164	KAMAL KISHOR	SECURITY	S/G					
11	24474	Priyanka Kumari	Security	L/S/G					
12	2281	Rajender	"	S/G					
13	-	Indra Kant	"	S/G					
14	21894	Brajesh	"	SPV					
15		RAMSAWROOP	"	S/G					
16	63699	Brijender Yadav	"	S/G					
17	21970	Pankaj Pratap	"	S/G					
18	21982	Shivji	Security	S/G					
19	62821	Vishwanath Mondal	Security	"					
20	21910	Karan Singh	"	"					

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic: Fire/Safety	Date: 06/01/2026	Time & Duration: 15:00 to 15:30	Venue: 2nd Floor O.P.D area
Trainer Name: KAUSHAL	Trainer Sign: Kaushal		

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	5326	Khushboo	OPD	Nursing				✓	
2	0265	Rishita	OPD	Nursing				✓	
3	5784	Savita	OPD	Nursing				✓	
4	6411	Saran	SW	Nursing				✓	
5	4845	Bhawna Popli	OPD	Coordinator				✓	
6	552	Sanjay	OPD	PCS					
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									


Any Other Remark: Thanks for participarting !!

VENKATESHWAR HOSPITAL
Striving to Maintain the Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety Awareness		Date: 08/01/26		Time & Duration	20 Mnt.	Venue	L.T.U end Floor	
Trainer Name: YOUGESH Kumar		Trainer Sign:						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	5709	Mohit	LTU	Staff Nurse				✓	5709.
2	7700	Rajni	LTU	TL				✓	
3	7320	ANNU	LTU	S/N				✓	
4	7177	sudha	LTU	SN					
5	1688	Prakash	LTU	Pe.					
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									



Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
.....Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic: ~~Hr Yogat~~ Fire & Safety		Date: 13/01/26		Time & Duration	2:30 hrs 2:30 hrs	Venue	3rd Floor ICU area	
Trainer Name: Parvinder Kum		Trainer Sign:						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	4794	Aniraj	ICU-2	N/S					
2	7959	Tanuu	ICU-2	S/N					7959.
3	5467	ABHISHEK KUMAR	ICU-3	S.S/N					
4	6915	Meenal	ICU-3	S/N					6915
5	6829	Neha Singh	ICU-3	S/N					~~6829~~
6	1044	Pravesh kumar	WSG	SNP					1044
7	9748	Rahul.	ICU	SN.					9748
8	3854	Jayant	ICU	SNI					
9	9719	Bhushan.	ICU	SNS					
10	4098	Suresh.	ICU	SN					
11	7477	Sundari	CCU	S.S.N					7477
12	7234	Kartik	CCU	S.S.N					7234
13	7054	Anju	CCU	S.N.					7054
14	6954	Komal Pal	CCU	S.N					6954
15									
16									
17									
18									
19									
20									

14 Nos

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety	Date: 13/01/2026	Time & Duration: 1430 hrs To 1500 hrs	Venue: 2nd floor I.C.U. Area
Trainer Name: Gaurav Rathee	Trainer Sign: G. Rathi		

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	5700	Megha	NRICU-1	S/N					Megha 5700
2	7580	Jyoti Pundir	NRICU-1	S/N					7580
3	6145	Reshma	NRICU-1	Sr. S/N					Reshma
4	7337	Jallabi Saha	NRICU1	S. N					7337.
5	6693	Bidyotama.	NRICU1	S/N					Bidyotama 6693
6	7539	Pratima	NRIC-1	S/N					7539
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
.....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire/Safety.	Date:	15/01/2024	Time & Duration	15:00 to 15:30	Venue	3rd floor O.P.D area		
Trainer Name:	KAUSHAL	Trainer Sign:							

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	5368	Pragati.	OPD	NURSING		✓			
2	5955	Sunil	OPD	Technician			✓		
3	5855	Himanshu Rawat	OPD	Technician			✓		
4	6987	Sumeet Kr	NDC	TC NDC			✓		
5	6225	Akhil Thakur	MIC	Jr. Tech			✓		
6	7962	Khushbu Yadav	NIC	Technician			✓		
7	5424	Poonam Negi	NIC	Technician			✓		
8	7459	Sakshi	NIC	Jr. Tech.		✓	✓		
9	8278	Preeti	NIC	Jr. Tech			✓		
10	2294	लक्ष्मी	MK	MK			✓		
11	1390	वीरेन्द्र	MK	MK			✓		
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic: Fire Safety Awareness		Date: 16/01/26		Time & Duration	30 Mins	Venue	SICU Department 4th floor	
Trainer Name: YOGESH KUMAR		Trainer Sign:						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	6427	Jitu Jaw	CTVS	T/L			✓		
2	4547	Lakshya	CTVS	Jr S/N					
3	8145	Kuiti	CTVS	Sr S/N					
4	7349	HONESTY	CTVS	T/L					
5	7353	Kavita	CTVS	SIH			✓		7353
6	8194	Tony	CTVS	TL					
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

6

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
.....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety		**Date:**	26/01/26	
Trainer Name:	Pankaj Sharma		**Trainer Sign:**	Pankaj	
S.No.	**Emp ID**	**Name**	**Department**	**Designation**	☹ **Poor**
1	6527	Pooja	5th IPD	S/N	
2	7429	Shobha	5th IPD	S/N	
3	6469	Arati	5th IPD	S/N	
4	8292	Reetika	~~5th IPD~~ Staff Nurse	S/N	
5	5905	Khushboo yadav	5th IPD	S/N	
6	7619	Shalini	5th IPD	S/N	
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					

(1)

VENKATESHWAR HOSPITAL

Training Attendance & Feedback Form

Training Topic: Fire & Safety		Date: 28-01-26		Time & Duration	7:30 to 08:00	Venue	B-02 H.K	
Trainer Name: Kapil		Trainer Sign:						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	1229	Sunil	H K	H K					
2	2082	Tanny	H.K	H.K					Tanny
3	2026	[illegible]	H.K	H.K					[illegible]
4	1284	[illegible]	H.K	H.K					[illegible]
5	2147	Manisha	P.C.A	H.K					Manisha
6	2263	Priyanka	P.C.A	H.K					Priyanka
7	2487	Shruti	P.C.A	H.K					Shruti
8	2364	Diya	P.C.A	H.K					Diya
9	1545	BABY	P.C.A	H.K					BABY
10	1177	Sudha	H.K	H.K					Sudha
11	1364	[illegible]	H K	H K					[illegible]
12	2412	Rina	H.K	H.K					Rina
13	1293	[illegible]	H.K	P.C.A					[illegible]
14	1654	Priyanka	P.C.A	H.K					Priyanka
15	1643	Shashikala	P.C.A	H.K					Shashi
16	1876	Shivani	P.C.A	H.K					Shivani
17	2282 [illegible]		H.K	H.K					[illegible]
18	1102	Rohan	H.K	H.K					Rohan
19	1989	Rahul	H.K	P.C.A					Rahul
20	3459	Sunil	H.K	H.K					Sunil

Any Other Remark:

Thanks for participating !!

(2)

VENKATESHWAR HOSPITAL
.....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire	Date:	28-01-26	Time & Duration	7:30 to 08:00	Venue	B-02 H.K	
Trainer Name:	Kapil	Trainer Sign:						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	1981	Kamal Prasad	H/K	H/K					Kamal
2	2091	अनिल	H.K	H.K					अनिल
3	1352	Havaldar	H.K	H.K					
4	2294	[illegible]	H.K	H.K					
5	1298	Sanjay Ram	H.K	H.K					
6	1494	Babita	H.K	H.K					Babita
7	2231	Preeti	PCA	H.K					Preeti
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

(3)

VENKATESHWAR HOSPITAL
.....Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic:	Fire	**Date:**	28-01-26	**Time & Duration**	7:30 to 8:00	**Venue**	B-02 H.K	
Trainer Name:	Kapil	**Trainer Sign:**						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	2354	Jyoti	P.C.A	H.K					Jyoti
2	2456	Nisha	P.C.A	H.K					Nisha
3	2196	Sadhana	P.C.A	H.K					Sadhana
4	1921	Hema	PCA	HK					Hema
5	1808	Ruby	PCA	HK					Ruby
6	1484	Rekha	H/K	H/K					Rekha
7	1107	[illegible]	H/K	H.K					[illegible]
8	1390	Birendra	H.K	H.K					Birendra
9	1656	Chitranjan	P.C.A	H.K					Chit
10	2366	Rajiv	P.C.A	H.K					Rajiv
11	1291	Nirmal	H.K	H.K					Nirmal
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

(4)

VENKATESHWAR HOSPITAL
...Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire	Date:	28-01-26	Time & Duration	07:30 to 08:00	Venue	B-2 H.K
Trainer Name:	Kapil	Trainer Sign:					

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	2090	Kamla	G.D.A	H.K					Kamla
2	2056	Reena	G.D.A	H.K					Reena
3	1936	Seema Kumari	G.D.A	H.K					Seema
4	1419	Seema	G.D.A	H.K					Seema
5	2190	Rashmi	GDA	HK					Rashmi
6	2191	Shalupal	GDA	HK					Shalupal
7	2453	Upasna	GDA	HK					Upasna
8	1808	Ruby	GDA	HK					Ruby
9	2112	Seema	PCA	HK					Seema
10	K035	मीना शर्मा	PCA	HK					मीना
11	1963	Mansi	PCA	HK					Mansi
12	2359	Varsha	P.C.A	H.K					Varsha
13	2350	Neha Chohan	P.C.A	H.K					Neha
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participating !!

(5)

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic:	Fire	Date:	28-01-26	Time & Duration	7:30 to 8:00	Venue	B-2 H.K
Trainer Name:	Kapil	Trainer Sign:					

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	1353	Radha	H.K	H.K					Radha
2	2053	Aarti	H.K	H.K					आरती
3	1823	Yogesh	H.K	H.K					योगेश
4	2394	Rajni	H.K	H.K					Rajni
5	1485	Seema	H.K	H.K					Seema
6	1531	ASHOK	H.K	H.K					Ashok
7	1222	Anuj	H.K	H.K					Anuj
8	1710	AJAY RAJ	H.K.	H.K					A
9	1662	Savita	H.K	H.K					Savita
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
.....Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety Awareness Tra | Date: 30 / 01 / 2026 | Time & Duration: 30 Min | Venue: 4th floor Block-1 Cath Lab.

Trainer Name: Yogesh Kumar. | Trainer Sign:

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	1303	Sharmila	cath lab	I/C					Sharmila 1303
2	6838	Mahendra Singh	Cath Lab	SR TECH					6838
3	8243	ANIL KUMAR	CATH LAB	TECH					8243
4	7964	SUMIT	Cath lab	SI					
5	2393	Hina Pandey	Cath Lab	T/L					
6	1139	C.P SHARMA	Cath Lab	C-TECHNOLOGIST					
7	4537	Manisha Yadav	Cath Lab	S-N					4537
8	6906	Govind	Cath Lab	Sr. Tech					6906
9	7819	Ramlesh	Cath Lab	Sr. Tech					7819
10	7148	Anil	Cath lab	S.N					7148
11	7801	Swati	Cath lab	So.S.N					7801
12		DR. Ritesh	Cath lab	consultant					
13									
14									
15									
16									
17									
18									
19									
20			12						

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super Speciality Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety Training | Date: 30/01/26 | Time & Duration: | Venue: Basement-2 HK. department

Trainer Name: Yogesh Kumar | Trainer Sign:

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	2302	[illegible]	[illegible]	PCA					[signature]
2	1196	Rekha	H.K	PCA					[signature]
3	2069	Romey	H.K	P.C.A					Romey
4	2274	Sania	P.C.A.I	H.K					Sahiba
5	2313	Pallavi	PCA	H.K					Pallavi
6	216	[illegible]	PCA	[illegible]					[signature]
7	2441	Vandana	PCA	H.K					Vandana
8	2463	Sakshi	PCA	HK					[signature]
9	2209	Vandana	P.CA	[illegible]					Vandana
10	2389	[illegible]	P.C.A	H.K					[signature]
11	2311	Rekha	HK	HK					[signature]
12	2423	Mithun	H.K	H.K					[signature]
13	2438	Vijay	H.K	H.K					Vijay
14	2272	SONIC	HK	CRDA					SONIC
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL

Training Attendance & Feedback Form

Training Topic: Fire / Safety — Date: 31/01/26 — Time & Duration: 1 hour — Venue: OT 24th Floor

Trainer Name: Rathan Singh — Trainer Sign: Rathan Singh

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	6022	Akansha Ahlawat	Postope	S/N				✓	Akansha/6022
2	5498	Jeena Jacob	Post-op	S/N				✓	Jeena 5498
3	6936	PRATIBHA	Pre-Post	S/N				✓	Pratibha 6936
4	5523	Rimjhi	Pre-Post	S/N				✓	Rimjhi 5523
5	4967	Tina	O/T	S/N				✓	Tina
6	8050	Manny Sehrawat	OT	S.S/N				✓	Manny 8050
7	4804	JIJU Varughese.	Pre-post OT	T.T.				✓	Jiju
8	8096	Chanchal	OT	Nsg Supervisor				✓	Chanchal
9	6032	Mohit Kushwaha	OT.	Scrub Tech.				✓	Mohit
10	8095	Jyoti kumari	OT	S/N				✓	Jyoti 8095
11	7992	RAHUL KUMAR	OT	INCHARGE				✓	Rahul 7992
12									
13									
14									
15									
16									
17									
18									
19									
20									

Rathan Singh 2160

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	**Date:**	4/11/2025	**Time & Duration**	40 Mins	**Venue**	B-3 Engineering Room		
Trainer Name:	Rattan Singh	**Trainer Sign:**	Rattan Singh						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	0036	Sumit Kumar	Engg	BMS				✓	Sumit
2	0056	Satwant Singh	Engg.	HVAC				✓	Satwant
3	206	Pardeep	S.T.P	S.V.P				✓	Pardeep
4		Jai Singh Chauhan	ELE	SUP				✓	Jai Singh
5		Pankaj Kumar	Elec	Elec					Pankaj
6	00047	ANANT-KUMAR	AC, Oper	Elect				✓	Anant
7	0012	Anil Kumar	Engg plumber	plumber				✓	Anil
8	0022	Jagan Maharana	PL					✓	Jagan
9	0030	Avinash	PLU	Plumber				✓	Avinash
10		Roshan	Elect	Elect				✓	Roshan
11	0025	Chinmaya Rath	Engg	SUP				✓	Chinmaya
12	0013	Nityanand	H.K	Engg				✓	Nityanand
13									
14									
15									
16									
17									
18									
19									
20									

Rattan Singh
11/60

Any Other Remark: Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety.	**Date:**	06/11/2025	**Time & Duration**	30 minute	**Venue**	B-1, I.T. Dept. Block-02		
Trainer Name:	KAUSHAL	**Trainer Sign:**							

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	1289	MANDESH KUMAR	IT						
2	4587	SANJAY RAWAT	IT	Sr. Supv.				✓	
3	5176	PRADEEP mangal	IT	Asst manager				✓	
4	3098	Gulshan	IT					✓	
5	4291	Pushkar	IT	Supv.					
6		Vikash	IT	Supvg.				✓	
7		ARJUN	IT	Engg.				✓	
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
...Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety. **Date:** 08/11/2025 **Time & Duration** 30 min **Venue** OP Gl. Pharmacy

Trainer Name: KAUSHAL **Trainer Sign:** Kaushal

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	6865	Avnesh Kumar.	OP pharmacy.	Pharmacist				✓	
2	6656	Ashish Meghwal	OP	PHARMACY				✓	
3	1884	Kunal Goswami	Pharmacy	Manager				✓	
4	4248	ASHISH KULASARI	Pharmacy	Chief pharmacist A.M.				✓	
5	1011	Pradeep Rao	OP Pharmacy	Chief Pharmacist					
6	1012	Jora Chand	OP Pharmacy	Chief Pharmacist				✓	
7	1433	Rohit	O.P. Pharmacy	Sr. Pharmacist					
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

A—

VENKATESHWAR HOSPITAL
Training Attendance & Feedback Form

Training Topic:	Fire & Safety	Date:	08/11/2025	Time & Duration	40 Mints	Venue	Park Ground Near		
Trainer Name:	Ratan Singh	Trainer Sign:	Ratan Singh						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	21881	Shikha Khan	Security	H.C.G				✓	
2	21884	Pooja	"	L/S/G				✓	Pooj
3	25045	Rashmi	"	"			✓		Rashmi
4	22128	Sanjeet Kumar Sinha	"	"				✓	
5	21904	Sachin	"	"				✓	Sachin
6	21275	Sukhveer Singh	"	"				✓	
7	21966	Anil Kumar	"	"				✓	
8	62535	Sonu Kumar	"	"				✓	Sonu
9	21956	Seelha Singh	"	S/G			✓		
10	23945	Dharam Vir Rey	"	"				✓	D.K.Y
11	22752	Parshu Ram	"	"			✓	✓	PRY
12	62097	RAM GOPAL	"	"			✓	✓	
13		PAINTING							
14	24019	Sonu	"	S/G				✓	Sonu
15		Rupender Yadav	"	S/G				✓	
16	21979	Mukesh Kumar Verma	"	S/G					mukesh
17	21978	Varun Verma	"	S/G					
18		Amit Kumar	"	S/G				✓	
19		Rajan Sharma	"	S/G				✓	Rajan
20	63543	Maya Ram	"	S/G				✓	M.R.Y

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	Date:	08/11/2026	Time & Duration	1 Hour	Venue	Park Ground Near
Trainer Name:	Rattan Singh	Trainer Sign:	Rattan Singh				

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	21896	Bhoolchandra	Security	S/G				✓	
2	24622	Sohan Lal	Security	S/G				✓	
3		Vishal Saini	Secu	S/G					
4	21904	Jitendra verma	"	S/G				✓	Jitendra
5		PANKAJ MALHOTRA	"	S/G				-	Pankaj
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Rattan Singh
11/60

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
.....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety		Date: 10/11/2025		Time & Duration	25 MI	Venue	HK dept B-3
Trainer Name: YOGESH KUMAR		Trainer Sign:					

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	2190	Rashmi	PCA	HK				✓	Rashmi
2	2191	Shalupal	PCA	HK				✓	Shalupal
3	1808	Ruby	PCA	HK			✓		Ruby
4	2112	Seema	PCA	HK			✓		Seema
5	2349	Pinki	H.K	H.K				✓	Pinki
6	2379	Sanjana	HK	HK				✓	Sanjana
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

6

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety	Date: 10/11/2025		Time & Duration	25M	Venue	HK dept. B-3	
Trainer Name: YOGESH KUMAR	Trainer Sign:						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	2016	KIRAN	H:K	H:K				✓	
2	2026		H:K	H:K				✓	
3	1737		H:K	H:K				✓	
4	1358	Radhey	H:K	H:K				✓	
5	2053		H:K	H:K			✓		
6	1639		H:K	H:K			✓		
7	1862	Savita	H:K	H:K			✓		Savita
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety	Date: 10/11/2025	Time & Duration: 25Min	Venue: HK dept. B-3		
Trainer Name: YOGESH KUMAR	Trainer Sign:				

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	1801	Rajkumari	H.K	H.K				✓	Rajkumari
2	1654	Priyanka	P.C.A	H.K				✓	Priyanka
3	2230	Sangeeta	PCA	HK				✓	Sangeeta
4	2364	Diya	PCA	HK			✓		Diya
5	217	Pinki	PCA	HK			✓		Pinki
6	2365	Priti	PCA	HK			✓		Priti
7	232	Ruta	PCA	H.K				✓	Ruta
8	1900	Sayab	PCA	H.K				✓	Sayab
9	2512	Kuldeep	H.K	H.K				✓	Kuldeep
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety	Date: 10/11/2025		Time & Duration	25 Min	Venue	H.K. dept. B-3	
Trainer Name: YOUDESH KUMAR	Trainer Sign:						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	1673	Rajeev	H.K	H.K				✓	
2	1981	Kamal Arora	H/K	H/K				✓	
3	1531	Ashok	H K	H/K				✓	
4	1352	Hawaldar	H.K	H.K				✓	
5	1298	Sanjay Rathi	H.K	H.K				✓	
6	1656	Chhatrapal Singh	P.C.A	H.K				✓	
7	1453	Sonu	PCA	H.K				✓	
8	1451	Shivraj	P.C.A	H.K				✓	
9	2354	Jyoti	P.C.A	H.K				✓	
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety	Date: 10/11/2025	Time & Duration	25 Mins	Venue	HK. dept. B-3
Trainer Name: YOUVIESH KUMAR	Trainer Sign:				

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	2082	Tanny	H.K	H.K				✓	Tanny
2	1284	[illegible]	H.K	H.K				✓	[illegible]
3	2079	Anjali kumari	PCA	H.K				✓	
4	1925	[illegible]	H.K	H.K				✓	[illegible]
5	2054	KHOKAN	H.K	H.K			✓		KHOKAN
6	2147	Manisha	P.C A	H.K			✓		Manisha
7	2263	~~[illegible]~~ Priyanka	P.C A	H.K				✓	Priyanka
8	2303	Sonia	H.K	H.K				✓	Sonia
9	2297	Vivek	PCA	H.K				✓	Vivek Sonal
10	2345	Beena	PCA	H.K				✓	Beena
11		Komal	H.K	H.K				✓	
12		Laxmi	H.K	H.K				✓	
13		Ricka	H.K	H.K				✓	Ricka
14									
15									
16									
17									
18									
19									
20									

13

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
Quality in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety		Date:	10/11/2025	Time & Duration	1 Hour	Venue	BioMedical Room B-2	
Trainer Name:	Rattan Singh		Trainer Sign:	Rattan Singh					

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	3935	NISHA KUMARI	BME	Sr. Engg.				✓	Nisha
2	7192	Chandan	BME	engineer				✓	Chandan
3	6442	Neelu verma	BME	Engineer				✓	Neelu Verma
4	7969	Anjali	BME	Jr. engineer				✓	Anjali
5	~~80459~~	~~Aman Kumar~~	QCS Manifold	Technician				✓	
6	7282	Prashant Dabas	BME	Engineer				✓	
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Rattan Singh

7160

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Specility Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	**Date:**	11/11/2025	**Time & Duration**	30 minute	**Venue**	CSSD Dept B-1 Block-01
Trainer Name:	KAUSHAL	**Trainer Sign:**					

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	1258	Govind singh	CSSD	Incharge				✓	
2	1461	Deepak	CSSD	Tech				—	
3	8420	Rahul Nager	CSSD	Tech				✓	
4	6896	Shyam Kishore	CSSD	Tech				—	
5	7818	Ravi	CSSD	Tech				✓	
6	7316	Rohit	CSSD	Tech				✓	
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	**Date:**	15-11-25	**Time & Duration**	14:00 to 15:00
Trainer Name:	Pankaj Sharma	**Trainer Sign:**	Pankaj	**Venue**	B-01 I.P Pharmacy

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	7970	Rahul Sharma	IP	Pharmacist					
2	6078	Sandeep	IP	Pharmacist			✓		
3	7191	Ravi Kumar	IP	Pharmacist			✓		
4	64	Gaya	IP	Pharmacist			✓		
5	6234	RHK	IP	Pharmacist			✓		RHK
6	6712	Megha	IP Pharm	Pharmacist			✓		
7	7144	Neha	IP	Pharm			✓		
8	7505	Durgesh	IP	Pharm			✓		
9	6090	Akanksha	IP	Pharm			✓		
10	8147	Manju	IP	Sr. Pharm			✓		
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
...Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	**Date:**	19/11/2025	**Time & Duration**	1 hours	**Venue**	M.R.I. Corridor		
Trainer Name:	Rattan Singh	**Trainer Sign:**	Rattan Singh						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	3524	Sunny	ER	TL				✓	Sunny 35m
2	7888	Shivam	Radiology	Technician			✓		Shivam 7888
3	7772	Tarun	Radiology	Tech.				✓	Tarun
4	1419	Ganesh	Radio	Tech.				✓	Ganesh
5	8075	Bipinkumar	Supervisor	Radiographer				✓	Bipinkumar
6	4980	Jitendra	Radiology	Tech				✓	Jitendra
7	7706	Rahul	Radiology	Tech					Rahul
8		Sanjana	Radiology	Trainee				✓	Sanjana
9		Rithika	Radiology	Trainee				✓	Rithika
10		Prachi	Radiology	Trainee				✓	Prachi
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

A —

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	**Date:**	22/~~05~~ 11 / 2025	**Time & Duration**	30 Mint	**Venue**	Park Ground
Trainer Name:	Ratan Singh	**Trainer Sign:**	Ratan Singh				

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	21880	Mehul Gupta	Security	ASO					
2	24907	Sudesh	Security	SI/LG			✓		Sudesh
3	24076	Poonam	Security	L/S/G			✓		Poonam
4	63675	Manju	Security	L/S/G			✓		Manju
5	21881	Shikha Khan	"	H.L.G				✓	
6	21884	Pooja	"	L/S/G				✓	Pooja
7	21909	RAJESH Singh	"	S/G			✓	✓	
8	24014	SONU	"	S/G				✓	Sonu
9	23945	DHARAMVIR	"	S/G				✓	DKR
10	21966	Anil Masse	"	S/S				✓	
11	63726	Anil Kumar	"	S/G				✓	
12		Shivlal Sharma	"	S/G				-	
13	21978	Arun Verma	"	S/G			✓		
14	62097	PRADEEP	"	S/G			✓		Pradeep
15	21904	Jitendra verma	"	S/G				✓	Jitendra
16		Kamal Thakur	"	S/G				✓	Kamal
17	21955	Sachin Jay	"	"				✓	
18	23945	DHARAMVIR	"	"				✓	DKR
19	21900	SACHIN	"	"				✓	Sachin
20	22514	Brijesh	"	S/G				✓	

Any Other Remark:

Thanks for participating !!

VH/HR/F&F005/TAF/Ver1.1/July'19

Ratan Singh

1160

P.T.O.

B 7

VENKATESHWAR HOSPITAL
.....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	**Date:**	22/11/2025	**Time & Duration**	30 mins	**Venue**	Park Ground
Trainer Name:	Ratan Singh	**Trainer Sign:**	Ratan Singh				

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1		Rajan Sharma	S/G					✓	Rajan
2	63288	PANKAJ MALHOTRA	S/G					✓	
3	63699	BHUPENDER YADAV	S/G					✓	
4	63297	Vimal Kumar	S/G					✓	
5	22758	Parshuram	S/G					✓	P.R.Y.
6	63777	Sapna	L/S/G						Sapna
7		Girand Sir	S/G				✓		
8	25945	Rashmi Jain	S/G				✓		
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Ratan Singh
1/160

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
...Dedicated to Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety		Date:	25/11/2025		Time & Duration	1100 hrs TO 1200 hrs	Venue	Basement -01 Blood Bank
Trainer Name:	Gaurav Rathee		Trainer Sign:	G. Rathi					

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	3506	Kanchan Dagar	TM	Sr. Cons.				✓	
2	6887	Kavita	B.B	counsellor				—	
3	7946	Reena	B. Centre	Technician				✓	
4	5940	Jitendra	Blood cent	Bldg Manager				-	
5	2845	KEDAR	B.C	Sr. Tech				✓	
6	6354	Deepali	TM.	Staff Nurse				✓	
7	5940	RITURAJ	T.M	Tech.				✓	
8	1989	Rahul	M.K	P.C.A				✓	
9	1617	MANISH	TM	Supervisor			✓		
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
Diversity in Healthcare
The Leading Multi Super Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	Date:	27-11-25	Time & Duration	15:00 to 15:30
Trainer Name:	Pankaj Sharma	Trainer Sign:	Pankaj	Venue	B-01 Time office

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	21881	Shikha khan	Security	L1/S/G1				✓	
2	24471	Priyanka	"	"					
3	21904	Jitendra verma	"	S/G1				✓	Jitendra
4	21880	Rohit Gupta	"	ASO				✓	
5		Gurvinder Singh	"	SI				✓	
6	2628	Sunil Kr. Verhulst	"	Dy Manager				✓	
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety		**Date:**	5/2/2026		**Time & Duration**	14:30 To 15:10	**Venue**	Nursing Room 5th Floor	
Trainer Name:	Rattan Singh		**Trainer Sign:**	Rattan Singh						
S.No.	**Emp ID**	**Name**	**Department**	**Designation**	**Poor**	**Average**	**Good**	**Excellent**	**Signature**	
1	7899	PRACHI	5th IPD	S/N				✓		
2	6175	Renu	5th IPD	TL				✓		
3	5905	Khushboo	5th IPD	S/N				✓		
4	7903	Pammi	5th IPD	S/N				✓		
5	7619	Shalini	5th IPD	S/N				✓		
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										

Rattan Singh
2160

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & safety	**Date:**	06/02/2026
Trainer Name:	Ratnam Sir	**Trainer Sign:**	Ratnam
Time & Duration	09.35 TO 10.25	**Venue**	5th Floor Conf Room

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	5275	Reena	CREP	SIN.				✓	Reena 5275
2	7878	Veera	Recovery	S/N				✓	Veera 7878
3	5314	Rajesh.	Endo	Tech				✓	5314
4	6655	Nandini	PCS	Coordinator				✓	6655
5	1853	Balvinder	Cardio	S/T					1853
6	5938	Meenakshi	Endo	TL				✓	5938
7	1893	Ashok Mishra	Cardiac	Technician				✓	Ashok 1893
8	7682	Rashmi	Endoscopy	S/N				✓	Rashmi 7682
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Ratnam 1160

Any Other Remark:

Thanks for participarting !!

1-

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	Date:	07/02/2026	Time & Duration	20 minty	Venue	Ground Park
Trainer Name:	Ratan Singh	Trainer Sign:	Ratan				

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	21881	Shikha Khan	Security	H.L.G				✓	
2	21884	POOJA	Security	L/S/G				✓	POOJA
3	63717	Sapna	Security	L/S/G					Sapna
4	62307	Rubby sah	"	L/G				✓	Rubby sah
5	24274	Priyanka	"	"					
6	21889	Aman Kr Yadav.	Security	S/G				✓	
7	63798	PANKAJ HOTHE	S/G	"				✓	
8	62823	Rajan Sharma	S/G	"				✓	
9	63699	BHUPENDER YADAV	S/G	"				✓	
10	63758	SHIVLAL SHARMA	S/G	"				✓	S. Sharma
11	24622	Sohan Lal	S/G	"				✓	
12	21892	Sandeep Kumar	S/G	"				✓	
13	22516	Amit	S/G	"				✓	
14		Shyam							
15		Kamal	S/G	"				✓	
16	21969	Md Tamanna Azad	"	"					Md Azad
17	24637	Bhuvan Chandra	S/G	"				✓	
18	63134	Kamal Singh	S/G	"				✓	
19	64050	Shiva Chauhan	S/G	"				✓	
20		Ajay Singh Chauhan	S/G	"				✓	

Any Other Remark: O.P.T.

Thanks for participating !!

Ratan Singh

1160

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	**Date:**	17/02/2026	**Time & Duration**	40 Mins	**Venue**	Nursing Room 6th floor
Trainer Name:	Rattan Singh	**Trainer Sign:**	Rattan Singh				

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	8303	Ruchi Singh	6th IPD	Staff Nurse				✓	Ruchi
2	7620	Simpal	6th IPD	Staff Nurse				✓	Simpal 7620
3	6737	Teena	6th IPD	S/N				✓	Teena
4	7522	Gunjana Bisht	6th IPD	S/N				✓	Gunjana
5	5352	NARENDRA	6th IPD	S/N				✓	Narendra 5352
6	7360	Seema	6th	S/N				✓	Seema 7360
7	7958	Rashmi	6th	S/N				✓	Rashmi 7958
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Rattan Singh
1160

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	Date:	12/02/2026	Time & Duration	40 mins	Venue	Nursing Room 7th floor	
Trainer Name:	Rattan Singh	Trainer Sign:	Rattan Singh					

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	4534	Shilpa	7th	SIN					
2	8000	Manas	7th	SIN					
3	7703	Sapna	7th	SIN					
4	7252	Mansi Tyagi	7th	SIN					
5	7814	Pallavi	7th	SIN					
6	7667	Anshu	7th	SIN					
7	7594	Gitu	7th	SIN					
8	7708	Neelam	7th IPD	SIN				✓	
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Rattan Singh

1160

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
...Dedicated to Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	First Safety	Date:	13-02-2026	Time & Duration	15:00 15:30	Venue	6th Floor Dental		
Trainer Name:	KAUSHAL	Trainer Sign:	Kaushal						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1									
2		Seema	Dental	Dental Surgeon					
3		Sanik Kalathi	Dental						
4		Dr. Himanshu	Dental	Oral & Maxillofacial Surgeon					
5		21/2	Dental						21/2
6		Rahul	Dental						
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic:	FIRE & SAFETY		Date:	16/2/26		Time & Duration	1345 1515	Venue	G.f Main Porch
Trainer Name:	KAPIL		Trainer Sign:						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1		DEEPAK	Parking					✓	
2		UDAY	Parking					✓	
3		SANTOSH	Parking					✓	
4		PURAN	Parking					✓	
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

A—

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	**Date:**	21/02/2026	**Time & Duration**	40 Mint	**Venue**	Park Ground
Trainer Name:	Ratan Singh	**Trainer Sign:**	Ratan Singh				

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	64101	Meera Kumari	L/S/G	L/S/G				✓	Meera
2	21884	Pooja	L/S/G	Security				✓	Pooja
3	22128	Sanjeet Kumar Singh	S/G	〃				✓	
4		Sunil	Security	S/G				✓	
5	21907	Shankar	〃	S/G				✓	
6	21966	Abdul Nabeel	〃	S/G				✓	
7	64050	Shiva Chauhan	〃	〃				✓	
8	62520	Vishal Saini	Security	S/G					
9		Ajay Singh Chauhan	Security	S/G					
10	21978	Varun Verma	Security	S/G					
11	62699	Bhupender Yadav	Security	S/G					
12	62294	Kunal thakur	Security	S/G					
13	21897	Sandeep Kumar	Security	S/G				✓	
14	24019	Sonu	Security	S/G				✓	
15	21979	mukesh kumar Verma	〃	S/G					
16	21884	Aman kumar Yadav	Security	S/G				✓	
17	23944	Satish kumar	Security	S/G				✓	
18	21956	Sachin Singh	〃	〃				✓	
19	23945	Ajay Sir	〃	〃				✓	
20	24274	Priyanka	Security	L/S/G					

Any Other Remark:

Thanks for participarting !!

1160

Q?

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety		**Date:**	21/02/2026	**Time & Duration**	40 Mins	**Venue**	Park Ground	
Trainer Name:	Rattan Singh		**Trainer Sign:**	Rattan Singh					

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	63747	Sapna	Security	L/S/Gr				✓	Sapna
2	64436	Mamta	"	"			✓		Mamta
3	21881	Shivaji Khem	"	H·L·Gr				✓	
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Rattan Singh
11/02

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	Date:	21/02/2026	Time & Duration	50 Minutes	Venue	6th floor Lab
Trainer Name:	Rattan Singh	Trainer Sign:	Rattan Singh				

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	5624	Himanshu	Lab	Lab. Tech				✓	
2	5973	[illegible]	LAB	[illegible]				✓	
3	6170	Rahul	Lab	PL lab				✓	
4	5444	Neeraj	Lab	Sr Lab				✓	Neeraj
5	1123	Abhishek	11	11				✓	
6	1026	Madhuri	11	Manager				✓	
7	7297	Seema	11	Lab Tech.				✓	
8	8311	Bhawna	11	11				✓	
9	6383	Kuldeep Tanwar	Lab	Lab Tech				✓	Kuldeep
10	7561	Harmit Dwivedi	Lab	Lab Tech				✓	Harmit
11	2523	Rahul	Lab	Sr. Lab Tech				✓	Rahul.
12									
13									
14									
15									
16									
17									
18									
19									
20									

Rattan Singh
1160

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety Training | Date: 26/02/2026 | Time & Duration: 30 Minutes | Venue: Basement-3 H.K. Dept. Day Shift.

Trainer Name: YOUGESH KUMAR | Trainer Sign:

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	1981	Kamal Prasad	HK	HK					Kamal
2	1352	Howladar	H.K	H.K					
3	1298	Sanjay Ram	H.K	H.K					
4	2294	[illegible]	H.K	H.K					[illegible]
5	1063	Kamlesh	H.K	H.K					
6	1710	AJAY RAJ	H.K.	H.K.					
7	1949	सावीर	H.K	H.K					सावीर
8	2417	मुकेश	H.K	H.K					मुकेश
9	1623	Sangeet Kumar	P.C.A	H.K					Sangeet
10	2058	Ashok Kumar	P.C.A	H.K					
11	2317	Poonam	P.C.A	H.K					
12	6844	ANUPAM	Sup	HK					
13	2235	Deepak	Sup	H.K					
14	1714	Vikram	Sup.	H.K					
15	1386	Manoj Kaul	Sup	H.K					
16	2250	Jonathan	Sup	H.K					
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety Tarining | Date: 26/02/2026 | Time & Duration: 30 Mints | Venue: Basement-3 H.K dept. Day Shift.

Trainer Name: YOUGESH KUMAR | Trainer Sign:

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	2079	Amrit kumar	H.K	PCA					
2	1654	Priyanka	H.K P.C.A	P.C.A					Priyanka
3	1545	Baby	P.C.A	H.K					Baby
4	2082	Tanny	H.K	H.K					Tanny
5	2076	Anjubala	H.K	H.K					Anjubala
6	1284	Ekta	H.K	H.K					Ekta
7	2147	Manisha	~~P.C.A~~	H.K					Manisha
8	2259	Rita	P.C.A	H.K					Rita
9	2323	Vimal	H.K.	H.K.					Vimal
10	2495	Deepak	H.K	H.K					Deepak
11	2484	Amit	H.K	H.K					Amit
12	1469	Vikram	HK	HK					Vikram
13	1162	Sushma	H.K	PCA					Sushma
14	1176	Sushma	H.K	PCA					Sushma
15	2182	chhaya	H.K	PCA					chhaya
16	2395	~~Komal~~ Laxmi	~~PCA~~	H.K					Laxmi
17	2396	Komal	P.C.A	H.K					Komal
18	1686	Prakash	H.K	H.K					
19	2078	Pratibha	P.C.A	H.K					Pratibha
20	1936	Beena Kumari	P.C.A	H.K					Beena
Any Other Remark:		Rej Bhor	HK	HK					Rej Bhor

Thanks for participarting !!

VENKATESHWAR HOSPITAL
Flexibility in Healthcare
The Leading Multi Super Speciality Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety Training | Date: 26/02/2026 | Time & Duration: 30 mins | Venue: Basement-3 HK Depot. dayshift.

Trainer Name: YOGESH KUMAR | Trainer Sign: Yogesh

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	2420	Sweta	PCA	H.K					Sweta
2	2090	Kamla	P.CA	H.K					Kamla
3	1527	Monika	P.C.A	H.K					Monika
4	1808	Ruby	PCA	HK					Ruby
5	2112	Seema	PCA	HK					Seema
6	2035	Mohini	PCA	HK					Mohini
7	2387	Asha	PCA	HK					Asha
8	2327	Menaka	PCA	HK					Menaka
9	2337	Oshu	PCA	HK					Oshu
10	2354	Jyoti	PCA	HK					Jyoti
11	2328	Neha	H.K	H.K					Neha
12	2271	Nandani	G.D.A	H.K					Nandani
13	2358	Oshu	G DA	H.K					Oshu
14	1643	Shashi Kala	P.C.A	H.K					Shashi
15	2350	Neha Chachan	P.C.A	H.K					Neha
16	1882	Vandana	P.C.A	H.K					Vandana
17	1488	Kavitashree	P.C.A	HK					Kavita
18	1683	Poonam	HK	Sup					Poonam
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	**Date:**	27/02/2026	**Time & Duration**	40 Mnts	**Venue**	8th Floor Skills Lab
Trainer Name:	Rattan Singh	**Trainer Sign:**	Rattan Singh				

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	7679	Annu	8 IPD	S/N					
2	7861	Neha	8th IPD	S/N					
3	7213	TEMICA	8th IPD	S/N					Temica
4	6471	Vidhi	8th IPD	S/N					Vidhi
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Rattan Singh
1160

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Specialty Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	Date:	28/02/26	Time & Duration	19:30 to 20:00	Venue	B-02 H.K	
Trainer Name:	Yogesh	Trainer Sign:						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	2302	Pooja	P.CA	H.K					Pooja
2	2441	Vandana	P.CA	H.K					Vandana
3	2450	Virat	GDA						Virat
4	1198	Rekha	PCA	H K					
5	1664	Bedevier Kau	P.CA	H.K					Bedevier
6	2274	Sanjya	P.C.A	H.K					Sanjya
7	2167	Bahuguna	P.C.A	H.K					Bahuguna
8	2096	Reeta	P.C.A	H.K					Reeta
9	2452	Hitesh	P.C.A	H.K					Hitesh
10	1355	Sunita	P.C.A	H.K					Sunita
11	2203	Vandana	P.C.A	H.K					Vandana
12	1413	Hamida	P.C.A	H.K					Hamida
13	2409	Jyati	P.C.A	H.K					Jyati
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic: Fire & Safety	Date: 28/02/26	Time & Duration	19:30 to 20:00	Venue	B-02 H.K		
Trainer Name: Yogesh	Trainer Sign:						

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	1784	[illegible]	P.C.A	H.K					
2	2460	[illegible]	P.C.A	H.K					
3	2095	[illegible]	P.C.A	H.K					
4	1368	[illegible]	PCA	HK					
5	1610	[illegible]	P.C.A	H.K					
6	1951	ARUN	P.C.A	H.K					
7	B22	Dharmendra	P.C.A	H.K					
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
....Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	Date:	28/02/26	Time & Duration	19:30 to 20:00	Venue	B-02 H.K		
Trainer Name:	Yogesh	Trainer Sign:							

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	2477	रचना मंडल	H.K	H.K					रचना मंडल
2	2193	पिंकी	H.K	H.K					पिंकी
3	2472	Sonam	HK	HK					
4	2001	Archana	HK	HK					
5	1727	Pooja	HK	HK					pooja
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!

VENKATESHWAR HOSPITAL
...Divinity in Healthcare
The Leading Multi Super-Speciality Hospital

Training Attendance & Feedback Form

Training Topic:	Fire & Safety	Date:	28/02/26	Time & Duration	19:30 to 20:00	Venue	B-02 H.K
Trainer Name:	Yogesh	Trainer Sign:					

S.No.	Emp ID	Name	Department	Designation	Poor	Average	Good	Excellent	Signature
1	2267	AMIT	H.K	H.K					
2	1979	Vandana	"	"					
3	2438	Ribsey	"	"					
4	2018	Mohmmd	"	"					
5	2401	Milan	"	"					
6	2345	Etaa	"	"					
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Any Other Remark:

Thanks for participarting !!